Automatic Self-Cleaning Strainers

2596 10"-16"



Eaton's Model 2596 Automatic Self-cleaning Cast Pipeline Strainers are available in 10," 12," 14," and 16," sizes. The Model 2596 is recognized across industries for its continuous flow, simplified maintenance, and worry-free operation.

FEATURES / BENEFITS

- Flow rates up to 6500 gpm (1476 m³/hr)
- A broad selection of screen options
- Automatic backwashing for operator-free service and minimal backwash effluent
- Exclusive idL[™] Seal for leak free service
- Unitized modular assembly for easy maintenance
- Cast ductile iron construction

The Eaton Model 2596 Automatic Self-Cleaning Strainer is designed for the continuous removal of entrained solids from liquids in pipeline systems.


With an automated control system monitoring the strainer operation, cleaning is accomplished by an integral backwash system. A small portion of the screen element is isolated and cleaned by reverse flow while the remaining screen area continues to strain—providing uninterrupted flow. This efficient design uses only a small amount of the liquid being strained to carry debris away from the strainer element. The Model 2596 features the idL[™] shaft seal that positively prevents leakage from the backwash shaft at the top of the strainer. This unique quad seal keeps the exterior of the strainer dry and prevents external leakage or weeping of the process media down the sides of the strainer.

Model 2596 10"


To simplify maintenance the Model 2596 features a unitized modular assembly. The motor, gear reducer, and the internal operating mechanism are all housed within the strainer cover and lift off as a unit. This makes all components easily accessible and reduces associated maintenance costs.



Model 2596 10" to 16" Automatic Self-Cleaning Strainers



Model 2596 10" - 16" Flow Rates



Pressure drop data indicates results to be expected with clean water, under normal flows with standard straining media and in clean strainer.

Application Limits

• Ductile Iron Class 125 Flange (-20° to 150°F) 150 psi

Application Limit 16" Size

Ductile Iron Class 125 Flange (-20° to 150°F) 150 psi Based • on ASME Section VIII, Div. 1. Lower pressure ratings at higher temperatures

A Apr	Approximate Dimensions (inches) A B C D			E	EFGJKMP						L	Approximate Weight (lb) L Dry Wet Cover			
10"	38 ¹ ⁄4	19 ³ ⁄4	35 ³ ⁄4	64 ³ ⁄4	90	8 % ₁₆	2	7⁄8	10 ¹¹ ⁄ ₁₆	12 ¹ /2	24 ¹ /2	1,840	2,615	705	
12″	36 ¹ ⁄4	19 ³ ⁄4	35 ³ ⁄4	64 ³ ⁄4	90	8 % ₁₆	2	7⁄8	10 ¹¹ ⁄ ₁₆	12 ¹ /2	24 ¹ /2	1,880	2,675	705	
14″	44	22 ¹ / ₁₆	42 ⁵ ⁄16	76 ¹ ⁄2	112	8 % ₁₆	2	7⁄8	10 7⁄8	13 ¹ ⁄2	29 5%	2,810	4,360	1,050	
16"	44	22 ¹ /2	42 ⁵ ⁄16	76 ¹ ⁄2	112	8 % ₁₆	2	7⁄8	10 7⁄8	13 ¹ ⁄2	29 %	2,850	4,400	1,050	

North America 44 Apple Street

Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

China No. 3, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Singapore

100G Pasir Panjang Road #07-08 Singapore 118523 Tel: +65 6825-1668

Brazil

Av. Ermano Marchetti, 1435 -Água Branca, São Paulo - SP, 05038-001, Brésil Tel: +55 11 3616-8461

For more information, please email us at filtration@eaton.com or visit www.eaton.com/filtration

© 2019 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

US 05-2019

