

Series HPX 170-450 DN32 PN315



possible connection masses



Dimensions:

type	HPX 170	HPX 240	HPX 360	HPX 450	
connection	DN 32				
Α	343	393	473	578	
В	190	240	320	425	
weight	21 kg	22 kg	24 kg	27 kg	
volume tank	0,7 l	0,91	1,2 l	1,6 l	

Dimensions: mm

Designs and performance values are subject to change.



Pressure Filter Series HPX 170-450 DN32 PN315

Description:

Pressure filter series HPX 170-450 have a working pressure up to 315 bar. Pressure peaks can be absorbed with a sufficient safety margin. The HPX-filters are flanged to the mounting-surface.

The filter element consists of star-shaped, pleated filter material, which is supported on the inside by a perforated core tube and is bonded to the end caps with a highquality adhesive. The flow direction is from outside to inside. Filter elements are available down to 5 µm_(c). Finer filtration is available upon request.

For cleaning the stainless steel mesh element (see special leaflets 21070-4 and 39448-4) or changing the filter element, remove the filter bowl and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning

Eaton filter elements are known for high intrinsic stability and an excellent filtration capability, a high dirt-retaining capacity and a long service life.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

Eaton filter elements are available up to a pressure resistance of Δp 160 bar and a rupture strength of Δp 250

The internal valves are integrated into the centering pivot for the filter element. After reaching the opening pressure the by-pass valve causes that an unfiltered partial flow passes the filter.

With the reverse valve a protection of the filter element is given when having a reverse flow inside the filter. The reverse flow will not be filtered.

Type index:

Complete filter: (ordering example)

HPX. 360. 10VG. HR. E. P. -. F. 6. -. -. AE 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |

1 series:

HPX = pressure filter, manifold mounted

2 | nominal size: 170, 240, 360, 450

3 filter-material:

80G, 40G, 25G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG microglass

4 filter element collapse rating:

 $30 = \Delta p \ 30 \ bar$

= Δp 160 bar (rupture strength Δp 250 bar)

5 filter element design:

= single-end open

6 sealing material:

= Nitrile (NBR) = Viton (FPM)

7 filter element specification:

- = standard VA = stainless steel

IS06 = for HFC applications, see sheet-no. 31601

8 process connection:

= manifold mounted

9 process connection size:

= DN32

10 filter housing specification:

= standard

IS06 = for HFC applications, see sheet-no. 31605

11 internal valve:

= with by-pass valve Δp 3,5 bar = with by-pass valve Δp 7,0 bar S2 = reversing valve, Q ≤ 211,008 l/min

12 clogging indicator or clogging sensor:

= without

AOR = visual, see sheet-no. 1606 AOC = visual, see sheet-no. 1606

AE = visual-electric, see sheet-no. 1615

VS5 = electronic, see sheet-no. 1619

To add an indicator/sensor to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

Filter element: (ordering example)

01E. 360. 10VG. HR. E. P. -| 1 | 2 | 3 | 4 | 5 | 6 | 7 |

1 series:

01E. = filter element according to company standard

2 **nominal size:** 170, 240, 360, 450

3 - 7 | see type index-complete filter

Technical data:

operating temperature: -10°C to +100°C

operating medium mineral oil, other media on request

max. operating pressure: 315 bar test pressure: 450 bar

process connection: manifold mounted

housing material: C-steel

sealing material: Nitrile (NBR) or Viton (FPM), other materials on request

installation position: vertical

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see $\Delta p = f(Q)$ - characteristics)

$$\textit{Ap element (mbar)} = Q \left(\frac{l}{min} \right) x \; \frac{\textit{MSK}}{10} \left(\frac{mbar}{l/min} \right) \; x \; v \left(\frac{mm^2}{s} \right) \; x \; \frac{p}{0.876} \; \left(\frac{kg}{dm^3} \right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in mbar/(l/min) apply to mineral oil (HLP) with a density of 0,876 kg/dm³ and a kinematic viscosity of 30 mm²/s (139 SUS). The pressure drop changes proportionally to the change in kinematic viscosity and density.


HPX	VG			G				
	3VG	6VG	10VG	16VG	25VG	25G	40G	80G
170	2,187	1,518	0,972	0,846	0,578	0,0685	0,0640	0,0438
240	1,685	1,170	0,749	0,652	0,446	0,0531	0,0496	0,0340
360	1,233	0,856	0,548	0,477	0,326	0,0388	0,0362	0,0248
450	0,907	0,630	0,403	0,351	0,240	0,0285	0,0266	0,0182

$\Delta p = f(Q)$ – characteristics according to ISO 3968

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0,876 kg/dm³. The pressure drop changes proportionally to the density.



Symbols:



Spare parts:

item	qty.	designation	dimension			article-no.		
	.,		HPX 170	HPX 240	HPX 360	HPX 450		
1	1	filter element	01E.170	01E.240	01E.360	01E.450		
2	1	O-ring	75 x 3			302215 (NBR)	304729 (FPM)	
3	1	support ring	81 x 2,6 x 1		304581			
4	2	O-ring	36 x 3		304358 (NBR)	313900 (FPM)		

Test methods: Filter elements are tested according to the following ISO standards:

ISO 2941	Verification of collapse/burst resistance
ISO 2942	Verification of fabrication integrity
ISO 2943	Verification of material compatibility with fluids
ISO 3723	Method for end load test
ISO 3724	Verification of flow fatigue characteristics
ISO 3968	Evaluation of pressure drop versus flow characteristics
ISO 16889	Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East Auf der Heide 2

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

Greater China No. 7, Lane 280,

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

For more information, please email us at *filtration* @eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of sour broducts. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

