


Series DU 251-401 **DN50 PN32**






Execution DU251







1) Connection for the potential equalization, only for application in the explosive area.

Assignment of connections and functions:

- A: process inlet SAE 2" 3000 PSI B: process outlet SAE 2" 3000 PSI
- C1/C2: air bleeding G 1/2
- D1/D2: drain G 1/2, dirt side
- E1/E2: drain G 1/2, clean side
- F1: measuring connection G ¼, dirt side F2: measuring connection G ¼, clean side
- G1/G2: air bleeding G 1/2

Weight DU251: approx. 39 kg Weight DU401: approx. 49 kg



Dimensions: mm Designs and performance values are subject to change.

Pressure Filter, changeover Series DU 251-401 **DN50 PN32**

Description:

Pressure filter, change over series DU 251-401 have a working pressure up to 32 bar. Pressure peaks can be absorbed with a sufficient safety margin.

A three-way-change-over valve which is integrated in the middle of the housing makes it possible to switch from the dirty filter-side to the clean filter-side without interrupting operation. These filters can be installed as suction filters.

The filter element consists of star-shaped, pleated filter material, which is supported on the inside by a perforated core tube and is bonded to the end caps with a highquality adhesive. The flow direction is from outside to inside.

For cleaning the stainless steel mesh element (see special leaflets 21070-4 and 39448-4) or changing the filter element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning.

For filtration finer than 40 $\mu\text{m},$ use the disposable elements made of microglass. Filter elements as fine as 5 µm(c) are available; finer filter elements are available upon request.

Eaton filter elements are known for a high intrinsic stability and an excellent filtration capability, a high dirtretaining capacity and a long service life.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

Ship classifications available upon request.

Type index:

Complete filter: (ordering example)

		10VG.										
1	2	3	4	5	6	7	8	9	10	11	12	13
1 s	eries:											

- DU = pressure filter, changeover
- 2 nominal size: 251, 401
- 3 filter-material:

130G, 80G, 40G, 25G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG microglass 25API, 10API microglass according to API 10P paper

- 4 filter element collapse rating:
 - 30 = ∆p 30 bar
- 5 filter element design:
 - Е = single end open
 - S0,3 = with bypass valve Δp 0,3 bar
 - S = with bypass valve $\Delta p 2,0$ bar
 - S1 = with bypass valve ∆p 3,5 bar
- 6 sealing material:

Ρ

v

9

- = Nitrile (NBR)
- = Viton (FPM)
- 7 filter element specification:
 - = standard
 - VA = stainless steel
 - IS06 = for HFC application, see sheet-no. 31601

8 process connection::

- FS = SAE-flange connection 3000 PSI
- process connection size:
 - = 2" (standard) 8
 - $= 1 \frac{1}{2}$ (with counter flange BFS.8.A.48,3x3,7.ST.P.3000)
- 10 filter housing specification:
 - = standard
 - IS12 = internal parts of change over armature stainless steel, see sheet-no. 41028
- 11 pressure vessel specification:
 - = standard (PED 2014/68/EU) IS20 = ASME VIII Div.1 with ASME equivalent material,
 - see sheet-no. 55217 (max. operating pressure 16 bar) IS14 = calculation pressure vessel parts acc. to EN 13445,
 - see sheet-no. 69828 (max. operating pressure 10 bar) IS63 = for operating pressure to 63 bar, see sheet-no. 68796
- 12 internal valve:
 - = without
- 13 clogging indicator or clogging sensor:
 - = without
 - AOR = visual, see sheet-no.1606
 - AOC = visual, see sheet-no.1606
 - AE = visual-electric, see sheet-no.1609 OP
 - = visual, see sheet-no.1628
 - OE = visual-electric, see sheet-no.1628
 - VS5 = electronic, see sheet-no.1641

To add an indicator/sensor to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

Filter element: (ordering example)

		10VG.					
1	2	3	4	5	6	7	

1 series:

01NL = standard filter element according to DIN 24550, T3

2 nominal size: 250, 400

3 - 7 see type index complete filter

Accessories:

- gauge port and bleeder connection, see sheet-no. 1650
- drain- and bleeder connection, see sheet-no. 1651 resp. 1659
- SAE-counter flanges, see sheet-no. 1652
- shut-off valve, see sheet-no. 1655

Technical data:

operating temperature:	-10°C to +100°C
operating medium:	mineral oil, other media on request
max. operating pressure:	32 bar
test pressure:	64 bar
max. operating pressure with IS20:	16 bar
test pressure with IS20:	32 bar
max. operating pressure with IS14:	10 bar
test pressure with IS14:	20 bar
max. operating pressure with IS63:	63 bar
test pressure with IS63:	126 bar
process connection:	SAE-flange connection 3000 PSI
housing material:	EN-GJS-400-18-LT
sealing material:	Nitrile (NBR) or Viton (FPM), other materials on request
installation position:	vertical
measuring connections:	G 1⁄4
drain- and bleeder connections:	G 1/2
volume tank DU251:	2x 2,5 l
DU401:	2x 3,7 l

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see $\Delta p = f(Q)$ - characteristics)

$$\Delta p \text{ element (mbar)} = Q \left(\frac{l}{min}\right) x \frac{MSK}{10} \left(\frac{mbar}{l/min}\right) x v \left(\frac{mm^2}{s}\right) x \frac{p}{0.876} \left(\frac{kg}{dm^3}\right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in mbar/(l/min) apply to mineral oil (HLP) with a density of 0,876 kg/dm³ and a kinematic viscosity of 30 mm²/s (139 SUS). The pressure drop changes proportionally to the change in kinematic viscosity and density.

DU	VG					G				Р	Α	PI
	3VG	6VG	10VG	16VG	25VG	25G	40G	80G	130G	10P	10API	25API
251	0,931	0,646	0,414	0,360	0,246	0,0277	0,0258	0,0177	0,0131	0,189	0,212	0,097
401	0,571	0,397	0,254	0,221	0,151	0,0169	0,0158	0,0108	0,0080	0,099	0,130	0,059


<u>∆p = f(Q) – characteristics according to ISO 3968</u>

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0,876 kg/dm³. The pressure drop changes proportionally to the density.



Symbols:

without indicator



with visual-electric

with electric

with visual-electric indicator AE70 / AE80 / AE90

 \otimes

2

with visual with vis indicator indicator AOR/AOC/OP

 $\langle \mathbf{n} \rangle$

with visual-electric indicator OF

> > 5

with electronic sensor



Spare parts:

item	qty.	designation	dimens	ion	article no.		
			DU 251 DU 401				
1	2	filter element	01.NL250 01.NL.400				
2	2	O-ring (DU251)	115 x 3		303963 (NBR)	307762 (FPM)	
	4	O-ring (DU401)	115 x 3		303963 (NBR)	307762 (FPM)	
3	1	O-ring	24 x 3		303038 (NBR)	304397 (FPM)	
4	2	O-ring	95 x 3		305808 (NBR)	304828 (FPM)	

Test methods:

Filter elements are tested according to the following ISO standards:

- ISO 2941 Verification of collapse/burst resistance
- ISO 2942 Verification of fabrication integrity
- ISO 2943 Verification of material compatibility with fluids
- ISO 3723 Method for end load test
- ISO 3724 Verification of flow fatigue characteristics
- ISO 3968 Evaluation of pressure drop versus flow characteristics
- ISO 16889 Multi-pass method for evaluating filtration performance

North America 44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0 Greater China No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific 100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability anising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

