
Series DWFA 1505 CLASS 150 PSI

1) Connection for the potential equalization, only for application in the explosive area.

Switch lever standard in the front.

 On request: The switch lever can be moved to backside of the changeover valve, opposite to the inlet and outlet.
Please specify this configuration on the order.






p1/p2 = mini measuring connction BSPP1/4

Dimensions:

process connection	А	В	С	D	E	F		F weight	
						SAE	ANSI	-	
4"	37.55	34.80	24.56	14.33	14.37	5.00	10.03	716 lbs.	2x 8.7 Gal.
5"	39.05	36.29	26.06	15.82	15.55	5.31	10.86	677 lbs.	2x 8.7 Gal.
							•		



Dimensions: inches Designs and performance values are subject to change.



A B C

Pressure Filter, changeover Series DWFA 1505 CLASS 150 PSI

Description:

Pressure filter, change over of the series DWFA 1505 have a working pressure up to 145 PSI. Pressure peaks can be absorbed with a sufficient safety margin.

A changeover ball valve between the two filter housings makes it possible to switch from the dirty filter side to the clean filter side without interrupting operation. The filters can be installed as a suction filter, pressure filter or return line filter.

The filter element consists of star-shaped, pleated filter material, which is supported on the inside by a perforated core tube and is bonded to the end caps with a high-quality adhesive. The flow direction is from outside to inside.

For cleaning the stainless steel mesh element or changing the filterer element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning.

For filtration finer than 25 μ m, use the disposable elements made of microglass. Filter elements as fine as 3 μ m are available; finer filter elements are available upon request.

Eaton filter elements are known for high intrinsic stability and an excellent filtration capability, a high dirt-retaining capacity and a long service life.

Eaton filter are suitable for all petroleum based fluids, HWemulsions, most synthetic hydraulic fluids and lubrication oils.

Ship classifications available upon request.

Type index:

Complete filter: (ordering example)

	VFA. 1505. 10VG. 10. E. P FS. B IS21.
	1 2 3 4 5 6 7 8 9 10 11
Kł 12	H. OE 2 13
1	series:
	DWFA = double welded filter, according to ASME-code
2	nominal size: 1505
3	filter material:
	80G, 40G, 25G, 10G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG microglass 25API, 10API microglass according to API
4	filter element collapse rating: $10 = \Delta p \ 145 \ PSI$
5	filter element design:
	E = without by-pass S = with by-pass valve ∆p 29 PSI
6	sealing material:
	P = Nitrile (NBR) V = Viton (FPM)
7	filter element specification:
	- = standard VA = stainless steel
	IS06 = for HFC application, see sheet-no. 31601
8	process connection:
	FS = SAE-flange 3000 PSI
	FA11 = flange ANSI CLASS 150 PSI, sealing surface rough grind 1600-3600 μin
	FA12 = flange ANSI CLASS 150 PSI,
	sealing surface rough grind < 640 μ in
9	process connection size:
	$B = 4^{"} (standard)$ $C = 5^{"}$
10	filter housing specification:
10	- = standard
	IS12 = internal parts of change over armature stainless steel, see sheet-no. 41028
11	
	IS21 = ASME VIII Div.1 with U-stamp, see sheet-no. 43415 IS23 = ASME VIII Div.1 without U-stamp, see sheet-no. 55218
12	shut-off :

- = without
 - KH = with shut-off ball valve

13 clogging indicator or clogging sensor:

- = without

- AE = visual-electrical, see sheet-no. 1609
- OP = visual, see sheet-no. 1614
- OE = visual-electrical, see sheet-no. 1614
- VS5 = sensor, see sheet-no. 1641

To add an indicator/sensor to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

ilter element: (ordering example)

01E. 1501. 10VG. 10. E. P. -

1 2 3 4 5 6 7

- 1 series:
- 01E = filter element according to company standard
- 2 nominal size: 1501
- 3 7 see type index-complete filter

Accessories:

- drain- and bleeder connection, see sheet-no. 1651
- lifting mechanism, see sheet-no. 1662

Technical data:

operating temperature: operating medium max. operating pressure: test pressure acc. to ASME VIII Div. 1: test pressure acc. to API 614, Chapter 1: standard process connection: housing material: material switching housing 4": material switching housing 5": sealing material: installation position: drain connections: bleeder connections: measure connections:

14 °F to +212 °F mineral oil, other media on request 145 PSI 1,3 x operating pressure = 189 PSI 1,5 x operating pressure = 218 PSI SAE-flange 3000 PSI carbon steel (ASTM) carbon steel (ASTM) EN-GJS-400-18-LT Nitrile (NBR) or Viton (FPM), other materials on request vertical NPT ½" BSPP ½" BSPP ½"

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see $\Delta p = f(Q)$ - characteristics)

 $\Delta p_{element}(PSI) = Q (GPM) x \frac{MSK}{1000} \left(\frac{PSI}{GPM}\right) x v(SUS) x \frac{\rho}{0.876} \left(\frac{kg}{dm^3}\right)$

For ease of calculation, our Filter Selection tool is available online at: www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in PSI/GPM apply to mineral oil (HLP) with a density of 0.876 kg/dm³ and a kinematic viscosity of 139 SUS (30 mm²/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.


DWFA	A VG					G				API	
	3VG	6VG	10VG	16VG	25VG	10G	25G	40G	80G	10 API	25 API
1505	0.193	0.134	0.086	0.075	0.051	0.0071	0.0053	0.0049	0.0034	0.048	0.022

<u>∆p = f(Q) – characteristics according to ISO 3968</u>

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm³. The pressure drop changes proportionally to the density. The flow curve for 5" available on request.



Symbols:



Spare parts:

item qty.	designation	dimension	article-no.		
1	2	filter element	01E.1501		
2	1	gasket kit filter housing			
2.1	2	O-ring	250 x 5	350335 (NBR)	350678 (FPM)
3	1	gasket kit of switching over UKK100 consisting of:	4" (DN100)	355180 (NBR)	355181 (FPM)
3.1	4	Ö-ring	158 x 4		
3.2	4	O-ring	114 x 6		
3.3	4	gasket	DN100		
3.4	2	O-ring	45 x 3		
3.5	2	support ring	50 x 45,2 x 5		
3	1	gasket kit of switching over UKK125 consisting of:	5" (DN125)	355569 (NBR)	355570 (FPM)
3.1	4	O-ring	190 x 5		
3.2	4	O-ring	140 x 6		
3.3	4	gasket	DN125		
3.4	2	O-ring	45 x 3		
3.5	2	support ring	50 x 45,2 x 5		

Test methods:

Filter elements are tested according to the following ISO standards:

- ISO 2941 Verification of collapse/burst resistance
- ISO 2942 Verification of fabrication integrity
- ISO 2943 Verification of material compatibility with fluids
- ISO 3723 Method for end load test

ISO 3724 Verification of flow fatigue characteristics

ISO 3968 Evaluation of pressure drop versus flow characteristics

ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East Auf der Heide 2

53947 Nettersheim, Germany Tel: +49 2486 809-0 Friedensstraße 41

68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

Greater China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

