
Sheet No. 2124 N

Series EDU 251-401 464 PSI



1) Connection for the potential equalization, only for application in the explosive area.

Weight EDU251: approx. 90 lbs. Weight EDU401: approx. 112 lbs.

Dimensions: inches Designs and performance values are subject to change.



Pressure Filter, changeover Series EDU 251-401 464 PSI

Description:

Stainless steel-pressure filter, change over series EDU 251-401 have a working pressure up to 464 PSI. Pressure peaks can be absorbed with a sufficient safety margin.

A rotary slide valve which is integrated in the middle of the housing makes it possible to switch from the dirty filterside to the clean filter-side without interrupting operation. These filters can be installed as suction filters.

The filter element consists of star-shaped, pleated filter material, which is supported on the inside by a perforated core tube and is bonded to the end caps with a high-quality adhesive. The flow direction is from outside to inside.

For cleaning the stainless steel mesh element or changing the filterer element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning.

For filtration finer than 40 μ m, use the disposable elements made of microglass. Filter elements as fine as 4 μ m(c) are available; finer filter elements are available upon request.

Eaton filter elements are known for a high intrinsic stability and an excellent filtration capability, a high dirt-retaining capacity and a long service life.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

Ship classifications available upon request.

Type index:

Complete filter: (ordering example)

EDU.	251.	10VG.	30.	Ε.	Ρ.	VA.	FS.	8.	VA.		/	AE	
1	2	3	4	5	6	7	8	9	10	11	12	13	

- 1 series:
 - EDU = stainless steel-pressure filter, changeover
- 2 **nominal size:** 251, 401
- 3 filter-material:
 - 80G, 40G, 25G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG, 1VG microglass 25API, 10API microglass according to API 10P paper
- 4 filter element collapse rating:
 - 30 = ∆p 435 PSI
- 5 filter element design:
 - E = single end open
 - S = with bypass valve Δp 29 PSI
 - S1 = with bypass valve Δp 51 PSI
- 6 sealing material:

v

- P = Nitrile (NBR)
 - Viton (FPM)
- 7 | filter element specification:
 - = standard
 - VA = stainless steel
 - IS06 = for HFC application, see sheet-no. 31601
- 8 process connection::
 - FS = SAE-flange connection 3000 PSI
- 9 process connection size:
- 8 = 2"
- 10 filter housing specification:
 - VA = stainless steel
- 11 pressure vessel specification:
 - = standard (DGRL 2014/68/EU)
 - IS20 = ASME VIII Div.1 with ASME equivalent material, see sheet-no. 55217 (max. operating pressure 232 PSI)
 - see sheet-no. 55217 (max. operating pressure 2
- 12 internal valve: - = without
- 13 | clogging indicator or clogging sensor:
 - = without
 - AOR = visual, see sheet-no.1606 AOC = visual, see sheet-no.1606
 - AE = visual-electric, see sheet-no.1609
 - OP = visual. see sheet-no.1628
 - OE = visual-electric, see sheet-no.1628
 - VS5 = electronic, see sheet-no.1641

To add an indicator/sensor to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

Filter element: (ordering example)

	01NL.	250.	10VG.	30.	Ε.	Ρ.	VA	
1	1	2	3	4	5	6	7	1

1 series:

01NL = standard filter element according to DIN 24550, T3

- 2 nominal size: 250, 400
- 3 7 see type index complete filter

Accessories:

- gauge port and bleeder connection, see sheet-no. 1650
- drain- and bleeder connection, see sheet-no. 1651
- SAE-counter flanges, see sheet-no. 1652
- shut-off valve, see sheet-no. 1655

Technical data:

operating temperature: operating medium: max. operating pressure: test pressure: max. operating pressure with IS20: test pressure with IS20: process connection: housing material: sealing material: installation position: measuring connections: drain- and bleeder connections: volume tank EDU251:	-14°F to +212°F mineral oil, other media on request 464 PSI 900 PSI 232 PSI 464 PSI SAE-flange connection 3000 PSI EN10213-1.4581, EN10028-1.4301 (tube extension EDU401) Nitrile (NBR) or Viton (FPM), other materials on request vertical BSPP ¼ BSPP ¼ BSPP ½ 2x .66 Gal.
volume tank EDU251: EDU401:	2x .66 Gal. 2x .97 Gal.

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see $\Delta p = f(Q)$ - characteristics)

$$\Delta p_{element} (PSI) = Q (GPM) x \frac{MSK}{1000} \left(\frac{PSI}{GPM}\right) x v(SUS) x \frac{\rho}{0.876} \left(\frac{kg}{dm^3}\right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in psi/gpm apply to mineral oil (HLP) with a density of 0.876 kg/dm³ and a kinematic viscosity of 139 SUS (30 mm²/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.


EDU	VG							G			Α	PI
	1VG	3VG	6VG	10VG	16VG	25VG	25G	40G	80G	10P	10API	25API
251	1.564	1.140	0.792	0.507	0.441	0.301	0.0339	0.0316	0.0217	0.231	0.260	0.119
401	0.960	0.700	0.486	0.311	0.271	0.185	0.0207	0.0194	0.0133	0.121	0.159	0.073

$\Delta p = f(Q) - characteristics according to ISO 3968$

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm³. The pressure drop changes proportionally to the density.



Symbols:



Spare parts:

item	qty.	designation	dimension		article-no.		
			EDU 251 EDU 401				
1	2	filter element	01.NL250 01.NL400				
2	2	O-ring (EDU251)	115 x	3	303963 (NBR)	307762 (FPM)	
	4	O-ring (EDU401)	115 x	3	303963 (NBR)	307762 (FPM)	
3	1	O-ring	24 x 3		303038 (NBR)	304397 (FPM)	
4	2	O-ring	95 x 3		305808 (NBR)	304828 (FPM)	
5	1	O-ring	76 x 4		305599 (NBR)	310291 (FPM)	
6	1	O-ring	32 x 2	2,5	306843 (NBR)	308268 (FPM)	

Test methods:

Filter elements are tested according to the following ISO standards:

- ISO 2941 Verification of collapse/burst resistance
- ISO 2942 Verification of fabrication integrity
- ISO 2943 Verification of material compatibility with fluids
- ISO 3723 Method for end load test
- ISO 3724 Verification of flow fatigue characteristics
- ISO 3968 Evaluation of pressure drop versus flow characteristics
- ISO 16889 Multi-pass method for evaluating filtration performance

North America 44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

Greater China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

For more information, please email us at filtration@eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

