

Series NF 250 232 PSI

Assignment of connections and functions:

M2/p1 = measure connection, dirt side
M2/p2 = measure connection, clean side
E1 = air bleeding, dirt side BSPP ¼
E2 = drain, dirt side BSPP ¼
E3 = drain, clean side BSPP ¼





Weight: approx. 18 lbs.

Dimensions: inches

Offline Filter Series NF 250 232 PSI

Description:

The offline filter NF 250 is foreseen for the fine filtration of hydraulic and lubrication circuits additionally to the main filter.

The big filtration area in comparison to the nominal size is the premise for a high dirt-retaining capacity even in case of small filter-fineness. The filter NF is flanged mounted to the line.

Filter elements as fine as 5 μ m(c) are available; finer filter elements on request. Element change without tools is possible. After release of the straining screw and removal of the cover the elements are accessible and could be changed.

The filter elements were delivered completely inclusive seals. Cleaning of the elements not possible therefore the user should have enough spare elements on stock.

Eaton filter elements are known for high intrinsic stability and an excellent filtration capability, a high dirt-retaining capacity and a long service life.

The internal valve is integrated in the filter cover. After reaching the bypass pressure setting, the bypass valve will send unfiltered partial flow around the filter.

Type index:

Complete filter: (ordering example)

			- (0.0	·····9	071011					
	1	10VG.					FS.			
1	2	3	4	5	6	7	8	9	10	11
1	series NF	: = offline f	ilter							
2	nomin	al size: 2	50							
	25VG,	naterial: 16VG, 10\ G, 3WVG v								
4	filter e 10	element co = ∆p 145	•	e rati	ng:					
5	filter e B	element de = both sid	_	en						
6	sealin P V	g materia = Nitrile (= Viton (F	NBR)							
7	- VA	element sp = standar = stainles = for HFC	rd ss stee	ı		e sh	eet-no.	3160	01	
8	proces FS	ss connec = SAE-fla		onne	ction	3000	PSI 1)			
9	proces	ss connec = 1" 1)	ction s	ize:						
10	filter h - IS06	ousing sp = standar = for HF0	rd			ee sh	eet-no.	3160)5	
11	interna - S1	al valve: = without = with by		alve	∆p 51	PSI				
12	cloggi - ∆⊏	ng indica = without								

AE

OP


OF

To add an indicator/sensor to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

= visual-electric, see sheet-no. 1628

= visual, see sheet-no. 1628

Filter element: (ordering example)



Accessories:

- gauge port- and bleeder connection, see sheet-no. 1650
- drain- and bleeder connection, see sheet-no. 1651

VS5 = electronic, see sheet-no. 1641

1) in addition available: thread -12 SAE

Technical data:

operating temperature: +14°F bis +212°F

operating medium mineral oil, other media on request

max. operating pressure: 232 PSI test pressure: 333 PSI

process connection: SAE-flange connection 3000 PSI

housing material: aluminium forging alloy

sealing material: Nitrile (NBR) or Viton (FPM), other materials on request

installation position: vertical

measure connection: BSPP ¼ (mini-measuring)

drain- and bleeder connections: BSPP ¼ volume tank: 88 Gal.

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see $\Delta p = f(Q)$ - characteristics)

$$\Delta p_{element}(PSI) = Q (GPM) x \frac{MSK}{1000} \left(\frac{PSI}{GPM}\right) x v(SUS) x \frac{\rho}{0.876} \left(\frac{kg}{dm^3}\right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in psi/gpm apply to mineral oil (HLP) with a density of 0.876 kg/dm³ and a kinematic viscosity of 139 SUS (30 mm²/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.

NF	VG							
	3VG/3WVG	6VG	10VG/10WVG	16VG	25VG			
250	0.669	0.464	0.297	0.259	0.177			

$\Delta p = f(Q)$ – characteristics according to ISO 3968

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm³. The pressure drop changes proportionally to the density.



Symbols:

without indicator

with bypass valve with visual-electric indicator AE 30 and AE 40 with visual-electric indicator AE 50 and AE 62 with visual-electric indicator AE 70 and AE 80 with visual indicator OP with visual-electric indicator OE with electronic sensor VS5

















Spare parts:

item	qty.	designation	dimension	article	article-no.	
1	1	filter element	01NR.250			
2	1	filter cover without bypass valve	30631-3			
		filter cover with bypass valve S1	33127-3			
3	1	mini-measuring connection	MA.1.ST	305	453	
4	2	screw plug	BSPP 1/4	305	003	
5	1	straining screw	30631-3	316	404	
6	1	O-ring	110 x 6	337001 (NBR)	337002 (FPM)	
7	2	O-ring	52 x 3	314206 (NBR)	316698 (FPM)	
8	1	O-ring	18 x 3	304359 (NBR)	304399 (FPM)	
9	1	clogging indicator, visual	OP	see sheet	-no. 1628	
10	1	clogging indicator, visual-electric	OE	see sheet	see sheet-no. 1628	
11	1	clogging indicator, visual-electric	AE	see sheet	see sheet-no. 1609	
12	1	clogging sensor, electronic	VS5	see sheet	see sheet-no. 1641	
13	2	screw plug	BSPP 1/8	304	304791	
14	1	screw plug	BSPP 1/8	305	496	
15	1	O-ring	123 x 4	337003 (NBR)	337004 (FPM)	

item 13 execution only without clogging indicator or clogging sensor

Test methods:

Filter elements are tested according to the following ISO standards:

ISO 2941 Verification of collapse/burst resistance ISO 2942 Verification of fabrication integrity

ISO 2943 Verification of material compatibility with fluids

ISO 3723 Method for end load test

ISO 3724 Verification of flow fatigue characteristics

ISO 3968 Evaluation of pressure drop versus flow characteristics ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0 Greater China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668 For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

