
Series TSW 210-310 DN32



type	TSW 210	TSW 310	
connection	G 1 ¼	G 1 ¼	
Α	307	393	
В	219	305	
С	290	375	
D	6,5	7,5	
weight	1,6 kg	1,8 kg	
volume tank	1,1	1,5 l	

Dimensions: mm

Designs and performance values are subject to change!



Suction Filter Series TSW 210-310 DN32

Description:

The TSW-filter is mounted horizontally below the oil level on the tank and connected to the suction line.

The filter element consists of a star-shaped folded bellows, which is flowed through from the inside to the outside.

For cleaning the stainless steel mesh element (see special leaflets 21070-4 and 39448-4) or changing the filter element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning.

Filters finer than 40 μm use the disposable elements made of paper or microglass. Filter elements as fine as 5 $\mu m(c)$ are available; finer filter elements on request.

Eaton filter elements are known as stable elements which have excellent filtration capabilities and a high dirt retaining capacity, therefore having a long service life. Due to its practical design, the return-line filter is easy to service.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

Due to its practical design, the return-line filter is easy to service. When releasing the filter cover a plate-shaped valve closes the suction-inlet of the filter bowl and prevents the return flow of dirt oil into the reservoir. For cleaning, the filter bowl together with the filter element can be taken out of the filter head.

Type index:

Complete filter: (ordering example)

TSW. 210. 10VG. -. B. P. -. G. 6. -. -. O1. E4.-0,25

1 series:

TSW = suction filter for horizontal tank-mounting

2 **nominal size:** 210, 310

3 filter material:

80G, 40G, 25G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG microglass 10P paper

4 | filter element collapse rating:

= not specified

5 filter element design:

B = both sides open

6 sealing material:

P = Nitrile (NBR) V = Viton (FPM)

7 | filter element specification:

- = standard

8 process connection:

G = thread connection according to DIN 3852, T2

9 process connection size:

6 = G 1 ½

10 filter housing specification:

- = standard

11 internal valve:

- = without

S = with by-pass valve Δp 0,28 bar

12 clogging indicator at M1:

- = without

O1 = visual, see sheet-no. 1616

E4.-0,25 = pressure switch, see sheet-no. 1616

13 clogging indicator at M2:

possible indicators see position 12 of the type index

To add an indicator to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

Filter element: (ordering example)

01TS. 210. 10VG. -. B. -. -1
2
3
4
5
6
7

1 series:

01TS. = suction filter element according to company standard

2 | nominal size: 210, 310

3 - 5 , 7 see type index-complete filter

6 sealing material:

= without

Technical data:

operating temperature: -10°C to +100°C

operating medium mineral oil, other media on request

process connection: thread connection according to DIN 3852, T2

housing material standard: AL-casting, filter cover / filter bowl glass fiber reinforced polyamide

sealing material: Nitrile (NBR) or Viton (FPM), other materials on request

installation position: horizontal

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see Δp = f (Q) - characteristics)

$$\Delta p_{element} \left(mbar \right) = Q \left(\frac{l}{min} \right) x \ \frac{MSK}{10} \left(\frac{mbar}{l/min} \right) x \ v \left(\frac{mm^2}{s} \right) \ x \ \frac{\rho}{0.876} \left(\frac{kg}{dm^3} \right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements


The material gradient coefficients in mbar/(l/min) apply to mineral oil (HLP) with a density of 0,876 kg/dm³ and a kinematic viscosity of 30 mm²/s (139 SUS). The pressure drop changes proportionally to the change in kinematic viscosity and density.

TSW	VG				G			Р	
	3VG	6VG	10VG	16VG	25VG	25G	40G	80G	10P
210	1,867	1,296	0,830	0,722	0,494	0,0500	0,0467	0,0320	0,362
310	1,351	0,938	0,600	0,523	0,357	0,0362	0,0338	0,0231	0,262

$\Delta p = f(Q)$ – characteristics according to ISO 3968

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0,876 kg/dm³. The pressure drop changes proportionally to the density.






Symbols:

filter without internal valve

filter with bypass valve



M2











Spare parts:

item	qty. designation dimensions		ions	Article-no.		
			TSW 210	TSW 310		
1	1	filter element	01.TS210	01.TS310		
2	1	O-ring	53 x 4		309143 (NBR)	332434 (FPM)
3	1	O-ring	62 x 4		308045 (NBR)	311472 (FPM)
4	1	O-ring	75 x 3		302215 (NBR)	304729 (FPM)
5	1	O-ring	82 x 3		305191 (NBR)	305298 (FPM)
6	1	O-ring	88 x	3	304417 (NBR)	310266 (FPM)

Test methods: Filter elements are tested according to the following ISO standards:

ISO 2941 Verification of collapse/burst resistance
ISO 2942 Verification of fabrication integrity
ISO 2943 Verification of material compatibility with fluids
ISO 3723 Method for end load test
ISO 3724 Verification of flow fatigue characteristics
ISO 3968 Evaluation of pressure drop versus flow characteristics
ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0 Asia-Pacific

Greater China

No. 7. Lane 280.

Asia-Pacific 100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

Linhong Road Changning District, 200335 Shanghai, P.R. China

Tel: +86 21 5200-0099

For more information, please email us at *filtration* @eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, on guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

