
Series BR 210



DIRT-Gate media is made of a strong graded matrix especially designed for removing airborne contamination. This media is pleated to maximize surface area (high dirt holding capacity) and provides high efficiency (99% at 2 micron) with very low pressure drop.


Features & Benefits

- Rugged ABS plastic housing can be exposed to temperatures as high as 250°F, and is corrosion resistant.
- Visual mechanical indicator, which triggers at ∆p 1 psid (during exhalation).
- Easy installation. Lightweight design requires only hand tightening.
- Low pressure drop across filter media reduces stress on reservoir and system components.
- Plated steel core prevents filter media distortion.

Technical data

Housing material: Temperatures: Efficiency: Weight: ABS Plastic up to 250°F 99% at 2 micron 0.66 lbs.

Pressure drop:



NOTE:

Mobile systems may actuate the indicator due to vibrations, in which case the element should be changed after 500 hours of operation.

Dimensions: inches


Designs and performance values are subject to change.




EDV 12/23_US

Adapters (Installation/Dimensions)

Threaded Pipe Adaptor



MODELS AND PART NUMBERS		
PART NUMBERS	Description	Vent Filter
Applicable		
924710	Bayonet, no check	BR210
P-077002	Threaded pipe	BR210



North America 18684 Lake Drive East Chanhassen, MN 55317 Toll Free: +1 800-656-3344 (North America only) Tel: +1 732-212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

Greater China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

For more information, please email us at filtration@eaton.com or visit www.eaton.com/filtration

© 2023 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

