



Eaton 5P tower UPS

Enterprise class battery backup in a space-saving tower design for network closets and computer rooms

Space-saving: The Eaton® 5P provides premium protection while conserving value space in multiple, slim tower designs.

Efficiency: The 5P provides industry leading efficiency of up to 99 percent.

Manageability:

- **UPS management:** By integrating Eaton's free Intelligent Power Manager® Software, you can monitor and manage the power devices on your network
- **Energy metering:** The 5P meters energy consumption at the UPS level

LCD: Eaton's next-generation LCD offers a graphical interface which provides all critical UPS information in a single screen view

More power: The 5P protects more devices by providing 20 percent more wattage compared to traditional UPSs.

Battery life: Eaton's exclusive ABM® technology increases battery service life by 50 percent.

Intelligent Power Manager (IPM)

By integrating the software with the Eaton 5P, you can:

- Seamlessly integrate with VMware's vCenter Server™ virtualization management solution, as well as virtualization platforms such as Citrix® XenServer, Microsoft SCVMM™, Red Hat® and other Xen® open source platforms
- Initiate live migration of virtual machines (VM) to automatically and transparently migrate VMs during power disruptions to unaffected devices with systems such as VMware vMotion™ and Microsoft Live Migration
- Execute graceful shutdown of computers and virtual machines/servers during an extended power outage

To learn more, please visit: Eaton.com/intelligentpower

Services and support

Eaton provides product support 24 hours a day, 7 days a week. From battery replacement to full UPS service plans, Eaton has one of the top service models in the industry.

Three-year warranty

The 5P warranty covers both the UPS and the batteries for three years. No other manufacturer in the industry offers as comprehensive a warranty.



Powering Business Worldwide

5PTOWER MODEL SELECTION GUIDE*

| Catalog number | Rating (VA/watts) | Input connection | Output receptacles | Dimensions (H x W x D), in | Net weight, lb |
|--|-------------------|------------------|-----------------------|----------------------------|----------------|
| Tower 120V 50/60 Hz models | | | | | |
| 5P750 | 750/600 | 5-15P | (8) 5-15R | 9.1 x 5.9 x 13.6 | 22.7 |
| 5P1000 | 1000/770 | 5-15P | (8) 5-15R | 9.1 x 5.9 x 13.6 | 24.4 |
| 5P1500 | 1440/1100 | 5-15P | (8) 5-15R | 9.1 x 5.9 x 17.5 | 35.3 |
| 5P2200RT | 1950/1920 | 5-20P | (8) 5-20R | 3.4 x 17.4 x 20.6 | 65.0 |
| 5P3000RT | 3000/2700 | L5-30P | (6) 5-20R, (1) L5-30R | 3.4 x 17.4 x 25.5 | 87.0 |
| Tower 208 or 230V 50/60 Hz models | | | | | |
| 5P850G | 850/600 | C14 | (6) C13 | 9.1 x 5.9 x 13.6 | 21.9 |
| 5P1550G | 1550/1100 | C14 | (8) C13 | 9.1 x 5.9 x 17.5 | 35.2 |

*Due to continuous product improvement programs, all specifications are subject to change without notice. Please visit Eaton.com/5P to view complete and updated product specifications, including complete battery runtimes.


Additional options

| Connectivity | Catalog number | For use with |
|--------------------------------|----------------|--|
| Gigabit Network Card | NETWORK-M2 | All models |
| Relay / serial interface card | RELAY-MS | All models |
| Environmental Monitoring Probe | EMPDT1H1C2 | All models (requires Gigabit Network Card; NETWORK-M2) |


What's in the box

- User manual CD
 - Intelligent Power Software Suite CD
 - Quick start guide
 - USB cable
 - RS-232 cable
- G models only**
- 2 IEC-to-IEC jumper cables

5P750 rear panel



5P2200RT rear panel



To interact with the Eaton 5P, please visit:
Eaton.com/5P

