Chico® SpeedSeal™ Sealing Compound (Chico SS2 & Chico SS6)



SAFETY DATA SHEET IF 1949

SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

1.1 Product Identifier: Product Name: CHICO Speedseal (SS2 & SS6)

Substance Name: Urethane Polyol

CAS EC Number: Mixture, see section 3

REACH Registration No registration number is given

for this substance since it is exempted from the registration requirements according to REACH Title II Article 6 Section 1 for substances imported at less than 1

tonne per year. Not applicable

Other means of identification: Not applicable

1.2 Relevant Identified Uses of the Substance or mixture and Uses

Advised Against Recommended Identified Use(s):

Part 2 of a two-part rigid polyethylene

Uses Advised Against:
Initial Supplier Identifier:

Foam industrial sealant.
Non-industrial applications
Eaton's Crouse-Hinds Division
Neuer Weg – Nord 49

Neuer Weg – Nord 49 D-69412 Eberbach Germany

Stefanie Huell

StefanieHuell@eaton.com +49 (0) 6271/806-500

Emergency Phone: CHEMTREC (800) 424-9300 (703) 741-5500 (international)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Mixture: This product is a hazardous product as defined by EC 1272/2008. Hazards identified are based on hazards of the ingredients. This product has not been fully tested.

2.2 Label Elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] Hazard Pictograms



Telephone:



Signal Word: WARNING **Hazard Statements**:

H302 Harmful if swallowed
 H315 Causes skin irritation
 H318 Causes serious eye irritation
 H371 May cause damage to organs
 H351 Suspected of causing cancer

H361 Suspected of damaging fertility or the unborn child H412 Harmful to aquatic life with long lasting effects

Precautionary Statements:

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and

understood

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 Wash hands and exposed skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P308+P313 If exposed or concerned: Get medical advice/attention. P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/

physician if r you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water. Specific

treatment: see first aid instructions on label.

P304+P340 IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P332+P364 Take off contaminated clothing and wash before reuse.
P337+P313 If eye irritation persists, get medical advice/attention.
P312 Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

Storage:

P403+P233 Store in a well-ventilated place. Keep container tightly

closed

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to an approved landfill (in

accordance with local/regional/national/international

regulations).

GHS Classification:

Skin irritant	Category 2
Eye irritant	Category 2
Acute toxicity, Oral	Category 4
Specific target organ toxicity, single exposure	Category 3
Reproductive toxicity	Category 2
Carcinogen	Category 2
Aquatic chronic	Category 3

2.3 Other Hazards: None known.

Relevant routes of exposure: Skin contact, eye contact.

Inhalation: May cause irritation. Fumes produced at elevated

temperatures may have harmful effects.

Skin contact: May cause mild irritation. **Eye contact:** May cause mild irritation.

Ingestion: None known

Existing conditions aggravated by exposure: None known.

Note: When reacted, this product is a portion of a 2-part rigid polyurethane foam. MDI and Polyol are supplied in separate plastic compartments in a closed plastic container. The barrier between the two substances is broken before dispersion. Contact with unreacted MDI is not expected under normal working conditions.

Potential Environmental Effects

Contains Triethylenediamine, which is harmful to aquatic life.

SECTION 3 COMPOSITION AND INFORMATION ON INGREDIENTS

Component	Index #	EC#	CAS#	%	Classification	Specific Conc. Limits, M-factors and ATE
Melamine	None	203-615-4	108-78-1	30-60	Repr. 2	None
Triethylenediamine (Synonym 1,4-diazabicyclooctane)	None	205-999-9	280-57-9	0.1 1%	Skin Irrit. 2 Acute Tox. 4 Flam. Sol. 1 Eye Irrit. 2 Eye Dam. 1 STOT SE 3 Aquatic Chronic 3	None
Carbon black	None	215-609-9	1333-86-4	0 - ≤0.1%	Carc. 2	None

^{*}None of the ingredients are listed in Annex VI to Regulation (EC) 1272/2009 Table 3 of Part 3. Classifications are based on C&L notifications submitted to ECHA

SECTION 4 FIRST AID MEASURES

4.1 Description of First Aid Measures

Following Inhalation: Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably on side position for transportation.

Following Skin Contact: Immediately wash with water and soap and rinse thoroughly.

Following Eye Contact: Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

Following Ingestion: DO NOT INDUCE VOMITING. Seek medical advice.

Self-Protection Of the First Aider: Keep contamination off skin and do not breather vapors. Wear personal protective equipment in Section 8.

4.2 Most Important Symptoms and Effects: Mild skin and eye irritation.

4.3 Indication of Immediate Medical Attention and Special Treatment Needed: None known.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Suitable Extinguishing Media: Carbon dioxide, extinguishing powder or water fog.

Unsuitable Extinguishing Media: Water spray is not suitable if it will come in contact with Part 2 of this 2-part product (refer to SpeedSeal Part 1 SDS).

5.2 Specific Hazards Arising from the Chemical: None known.

5.3 Advice for Firefighters: Use firefighting measures that suit the environment. Firefighters should wear a NIOSH-approved, full-face piece self-contained breathing apparatus (SCBA) operated in positive pressure mode and full turnout gear with additional chemical protective clothing as necessary to prevent exposure to hazardous decomposition products. Thermal decomposition will produce carbon oxides, nitrogen oxides, ammonia, and toxic hydrogen cyanide.

Section 6 Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures For Non-emergency Personnel: Keep unnecessary and unprotected personnel from entering. Do not touch or walk-through spilled material. Provide adequate ventilation. Wear appropriate respirator if ventilation is inadequate. Put on appropriate personal protective equipment. See Section 8 for appropriate personal protective equipment.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take note of information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel."

Personal Protection: Wear protective equipment appropriate for the level of exposure. Keep unprotected persons away.

Emergency Procedures: Isolate the hazard and deny entry to unnecessary and unprotected personnel. Avoid prolonged skin contact.

6.2 Environmental Precautions:

Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains, and sewers. Ensure adequate ventilation. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

6.3 Methods and Materials for Containment and Cleaning Up

Small Spill: Isolate the spill and deny entry to unnecessary and unprotected personnel. Absorb with liquid-binding material (sand, diatomaceous earth, acid absorbent, universal absorbent, or sawdust). Dispose of contaminated material as waste in accordance with national and local regulations. Do not walk through or otherwise scatter spilled material.

Large Spill: Follow instructions for small spill.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Do not open cans or outer foil bag until ready to use. Avoid contact with skin, eyes, and clothing. Do not breathe vapors or mists. Wash thoroughly after handling and before meals, breaks, and smoking. Do not eat, drink, or smoke in work and storage areas. Do not store food, cosmetics, cigarettes or other personal items in storage and use areas. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas.

Advice on General Occupational Hygiene: Routine occupational hygiene measures for industrial areas should be followed. Do not eat, drink, or smoke in areas where this material is handled, stored, and processed. Employees must wash hands and face before eating, drinking, or smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information on hygiene measures.

7.2 Conditions for Safe Storage Including any Incompatibilities:

Store in a well-ventilated area. Keep containers well closed. Protect from humidity and water. Because this material is incompatible with oxidizers, it should be stored away from oxidizing agents.

7.3 Specific End Uses: Use only as part 2 of a two-part rigid polyethylene foam industrial sealant.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control Parameters

Component	Exposure Limit 8-hr TWA	Authority
Carbon black*	None	-
Triethylenediamine	None	-
Carbon black*	3	Belgium Sweden
	3.5 7.0 (STEL)	Denmark United Kingdom
	3.5	France
	3 (inhalable fraction)	Ireland
	4 (inhalable fraction)	Poland

^{*} In the form supplied, occupational exposure to carbon black in quantities that contribute to health hazards is not anticipated.

Recommended Monitoring Procedures: Workplace atmosphere monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to the national authority's monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2 Exposure Controls

Appropriate Engineering Controls/Ventilation: Local exhaust ventilation used in combination with general ventilation as necessary to control air contaminants to at or below acceptable exposure guidelines.

Eye Protection: Wear safety glasses with side shields or protective goggles.

Respiratory Protection: Under normal working conditions with airborne exposures below acceptable exposure guidelines, none required.

Skin Protection: Wear neoprene, PVC, butyl rubber, chloroprene rubber, or nitrile rubber gloves. Follow glove manufacturer's instructions on selection, use, and break-through time.

Body Protection: Laminated or nonwoven apron or coverall should be work in accordance with manufacturer's instructions Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental Exposure Controls: Store product in original containers. Keep containers closed. Quickly contain and clean-up spillage.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

Color: Gray

Physical form: Liquid
Odor: Characteristic
OdorThreshold: No data
pH (undiluted): Not applicable
Melting Point: No data
Initial Boiling Point: No data
Flash Point: > 163 C
Evaporation Rate: No data
Relative Density: 1.11 g/ml
Solubility: Partially soluble
Partition Coefficient: No data
Auto-ignition Temperature: No data

Viscosity: No data

Flammability (solid, gas): Not applicable Lower Explosive Limit: Not established Upper Explosive Limit: Not established

Decomposition Temperature: No data

Vapor Pressure: No data Vapor Density: no data

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

Possibility of Hazardous Reactions: Not known.

Oxidizing Properties: None known.

10.2 Chemical Stability

Stable under normal use and storage conditions.

10.3 Possibility of Hazardous Reactions

Not known.

10.4 Conditions to Avoid

Temperatures above 300 °F.

Hazardous polymerization: Will not occur.

10.5 Incompatible Materials

Avoid strong oxidizers, water or moisture.

10.6 Hazardous Decomposition Products

Carbon monoxide and carbon dioxide, silicon oxides, and formaldehyde.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on Hazard Classes as Defined in Regulation (EC) No 1272/2008

Acute Toxicity: Information available on component ingredients. No data available on the mixture.

Ingredient	Result	Species	Dose	Exposure Time
Melamine	LD50 Oral	Rat	3161 mg/kg ¹	Unknown
Ivielamine	LD50 Oral	Rabbit	>1 g/kg1	Unknown
	LD50 Oral	Rat	1700 mg/kg ²	Unknown
Triethylenediamine	LD50 Oral	Rabbit	1100 mg/kg ²	Unknown
	ATE	_	300-2000 ³	Unknown
Carbon black	LD50 Oral	Rat	> 5 mg/kg ⁴	Unknown

¹ PubChem, 2019

Delayed and chronic effects:

Carcinogenicity:

Ingredient	IARC Group	REACH
Melamine	2B	Not listed
Triethylenediamine	Not listed	Not listed
Carbon black	2B	Category 2

IARC Classifications

Group 1: Carcinogenic to humans

Group 2A: Probably carcinogenic to humans Group 2B: Possibly carcinogenic to humans

Group 3: Not classifiable as to its carcinogenicity to humans

Data provided by supplier of the product: Carbon Black is bound within the liquid matrix and not contribute to carcinogenicity.

Mutagenicity: No data is available for this material.

Reproductive toxicity: Contains melamine, which is suspected of

causing reproductive toxicity. **Sensitization:** None known.

Information on the Likely Routes of Exposure

Potential acute health effects

Eye contact: May cause eye irritation

Inhalation: Inhalation may cause irritation. Fumes produced at

elevated temperatures may have harmful effects.

Skin contact: May cause skin irritation

Overexposure Signs/Symptoms
Eve contact: Irritation

Inhalation: Respiratory tract irritation

Skin contact: Irritation Ingestion: Not known

<u>Delayed and immediate effects from short and long term exposure</u> There are no data available on the mixture itself. This product contains isocyanates which can cause allergic reactions. The risk of cancer depends on the duration and level of exposure.

Potential Chronic Health Effects

General:

Carcinogenicity May cause cancer. Risk of cancer depends on

duration and level of exposure

² PubChem, 2004

³ According to Table 3.1.1 of European Union Regulation (EC) No 1272/2008

⁴ PubChem, 2004

Mutagenicity: No known effects

Reproductive toxicity: May cause reproductive toxicity

Sensitization: No known effects.

Signs and symptoms of overexposure:

If Inhaled: Inhalation may cause respiratory tract irritation.

If Ingested: No known effects.

If on Skin or Eyes: May cause eye skin irritation.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity: No data available.

12.2 Persistence and degradability: No data available.

12.3 Bioaccumulative potential: No data available.

12.4 Mobility in soil: Soil/water partition coefficient: No data available

12.5 Results of PBT and vPvB assessment: No data available.

12.6 Endocrine Disrupting Effects: No data available.

12.7: Other Adverse Effects: No data available.

12.8 Additional Information

Chemical Fate Information: No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Recycle, reclaim, or dispose of contents/container to an approved landfill in accordance with local, regional, national, international regulations. Do not discard into any sewers, on the ground, or into any body of water. It is the responsibility of the waste generator to determine the proper waste identification and disposal methods.

SECTION 14 TRANSPORTATION INFORMATION

14.1 UN Number or ID Number: None14.2 UN Proper Shipping Name: None14.3 Transport Hazard Classes: None

14.4 Packing Group: None

14.5 Environmental Hazards: None **14.6 Special Precautions for User:** None

14.7 Marine Transport in Bulk According to IMO Instruments: None

Other Information
ADR, ADN: Not regulated.
IMO/IMDG: Not regulated.
ICAO/IATA: Not regulated.

SECTION 15 REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

German Maximum Workplace Concentration (MAK): Carbon black, 3B (Carcinogenicity)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/ mixture by the supplier.

SECTION 16 OTHER INFORMATION

Revision Number: Revision 5E **Revision Date:** 7 March 2022

Abbreviations

ADN International Carriage of Dangerous Goods by Inland Waterways
ADR European Agreement concerning the International Carriage of

Dangerous Goods by Road

AGS Ausschuss für Gefahrstoffe (German Committee on Hazardous

Substances)

ATE Acute toxicity estimate

C Concentration

CAS Chemical Abstracts Service

CLP Regulation on classification, labelling and packaging of

substances and mixtures

DFG Deutsche Forschungsgemeinschaft (German Research

Foundation)

EC European Commission (European Union)
EN Europäische Norm (European Standard)

EU European Union

GHS Globally Harmonized System

ID Identification number

IARC International Agency for Research on Cancer
IATA International Air Transport Association
ICAO International Civil Aviation Organization
IMO International Maritime Organization

LC50 Lethal concentration to 50% of exposed laboratory animals

LD50 Lethal dose to 50% of exposed laboratory animals

MDI Methylene diphenyl isocyanate

NA Not available

NIOSH US National Institute of Occupational Safety and Health

NOEC No observed effect concentration
NTP US National Toxicology Program
PBT Persistent, Bioaccumulative, Toxic
PEL Permissible exposure limit

ppm Parts per million RE Repeat exposure

REACH European Regulation on the Registration, Evaluation,

Authorisation and Restriction of Chemicals

STEL Short term exposure limit STOT Specific target organ toxicity TWA Time weighted average

UN United Nations

vPvB very Persistent and very Bioaccumulative

DISCLAIMER

The information in this SAFETY DATA SHEET should be provided to all who will use, handle, store, transport or otherwise be exposed to this material. This information has been prepared for the guidance of plant engineering, operations and management, and for persons working with or handling this material. Eaton's Crouse-Hinds Division believes this information to be reliable and up-to-date as of the date of publication, but makes no warranty that it is.

