

IGIV.E10925 - Luminaire Fittings for Use in Hazardous Locations

Luminaire Fittings for Use in Hazardous Locations

Cooper Crouse-Hinds

WOLF & 7TH NORTH ST
PO BOX 4999
SYRACUSE, NY 13221 United States

E10925

Trademark and/or Tradename: "Eaton"

Class I, Groups A, B, C and D; Class II, Groups E, F and G.

Luminaire fittings, Cat. Nos. EAHC2601, EAHC2602, EAHC2701, EAHC2702, EAHC3601, EAHC3602, EAHC3701, EAHC3702 with or without suffixes S1, S294, S752 or S753.

Flexible luminaire fittings, Series EC, Types ECGF, ECHF, ECJF with or without suffix "S371", "S758", "Domex Bond", "Domex Bond Rojo" or "DBR".

Class I, Groups C and D; Class II, Groups E, F and G.

Ballast and lamp enclosure, Series EVLS may be followed by BHM, followed by 4 or 9, followed by 2, followed by 05, 07, 10, 15 or 17, followed by 0, 1 or 2, followed by DT, MT, TT, 120, 208, 220, 220/50, 230/60, 240, 240/50, 277, 347 or 480, may be followed by BG, IR, S658, S828, or FA. Conduit sizes 3/4 to 1-1/2 in. NPT incl. and M25 and M32 in metric sizes.

Mounting modules, Cat. Nos. EVSA, EVJ2.

Reflectors, Cat. Nos. RA725, RD725.

Guards, Cat. Nos. EV502, P515.

Luminaire fittings, Type CPS Series.

Type GU Series with or without suffix SBZ.

Type EAB Series with or without suffix -B, -C, -D, -L, -M, -N, -T, -W, -X or Y, followed by suffix -1, -2 or -3, followed by suffix -6, optionally followed by suffixes -DOW, -DR, -S742, -S752, -S753, -SA, -SBZ or -WOD.

Type EAB0687.

Type GUA Series. Types GUA, GUAB, GUAC, GUAD, GUAF, GUAG, GUAH, GUAL, GUAM, GUAN, GUAP, GUAT, GUAW, GUAX with or without suffix SBZ.

GUF Series. Types GUFC, GUFL, GUFT, GUFX with or without suffix SBZ.

GUJ Series.

Types GUJ, GUJB, GUJC, GUJD, GUJL, GUJT, GUJX.

Type GUP with or without suffix SBZ.

Cat. Nos. EFHC1801, EFHC1901, EFHC2601, EFHC2602, EFHC2701, EFHC2702, EFHC2801, EFHC2802, EFHC2901, EFHC2902, EFHC3601, EFHC3602, EFHC3701, EFHC3702, EFHC3801, EFHC3802, EFHC3901, EFHC3902 with or without suffixes S1, S294, S752 or S753.

Cat. Nos. EFH01, EFH02, EFHX4733; Types EFHX 111, EFHX 221.

Cat. No. UNR-29.

Luminaire housing, Cat. No. ZPL, ZPLA, XPL or XPLA; may be followed by -N or -W; followed by -4 or -2; may be followed by -1; followed by -

UNV1 or -UNV34; may be followed by S891; may be followed by -SRG; may be followed by P; may be followed by S917; may be followed by DRxxxxxxx (xxxxxxx may be any seven digits). (++)

Cat. No. ZPL or XPL; followed by -4; may be; followed by -UNV1; followed by RV1, AV1 or RAV1; may be followed by S891. (++)

Mounting means, Cat. Nos. ZP1050MTK, ZP1057MTK, MP1054MTK, PM Kit 1.25, PM Kit 1.5, PM Kit 2.0, may be followed by -P. ++

Class I, Groups B, C and D.

Ballast and lamp enclosures, Cat. Nos. EVM-420, -425, -431, -445, -825, -840, -915, -917, -920, -925, -932, -945 may be followed by a 0 or 1, followed by 120, 127, 208, 220, 220/50, 220/60, 230/60, 240, 240/50, 240/60, 254, 277, 347, 440, 480, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, may be followed by DR, FA, GB, IR, QTZ, S752, S753, S828, S758, "Domex Bond Rojo", "Domex Bond" or DBR, followed by M8. Not all combinations are covered.

Mounting modules, Cat. Nos. EV22, -22ES, -33, -87, -87ES, EVB, EVCX2, EVCX3, EVJ4, EVP2, EVP3, EVMBX2, -3, EVMCX2, -3, EVMJ4, EVMJ4ES, EVMP2, EVMP2ES, EVMP3 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Reflectors, Cat. Nos. EV3912, RA73, -739, RD73, -739.

Guard, Cat. Nos. EV503, -5140 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Class I, Groups C and D.

Pole mount adapter, Cat. No. SFA6-XP, may be followed by BZ.

Class I, Groups B, C and D; Class II, Groups E, F and G.

Ballast and lamp enclosure, Series EVLS may be followed by A, AM, BH, BX, BXM, CX, CXM, J, JM or M, followed by 4 or 9, followed by 2, 3, 4, 5, 25 or 32, followed by 05, 07, 10, 15 or 17, followed by 0, 1 or 2, followed by DT, MT, TT, 120, 208, 220, 220/50, 230/60, 240, 240/50, 277, 347 or 480, may be followed by BG, GB, IR, S658, S828, or FA. Conduit sizes 3/4 to 1-1/2 in. NPT incl. and M25 and M32 in metric sizes.

Mounting modules, Cat. Nos. EVSA, EV22, EV33, EV87, EVJ2, EVMJ4, EVMP2, EVMP3, EVSB2, EVSB25, EVSC2, EVSC25, EVSC3, EVSC32, EVSJ5, EVSP2, EVSP25, EVSP3, EVSP32, EVSW2, EVSW25, EVSW3, EVSW32.

Reflectors, Cat. Nos. RA725, RD725.

Guards, Cat. Nos. EV502, P515.

Ballast and lamp enclosure, Cat. No. EVLP followed by 0, 1 or 2, followed by 2, 4, 8 or 9, followed by 03, 05, 07, 10, 15, 17, 20 (suitable for Class I only), 25 (suitable for Class I only), 52 or 64, followed by /120, /208, /220 50, /230 60, /240, /240 50, /277, /480, /600, /DT, /MT, /TT, may be followed by CE or LX, followed by CD, may be followed by DR, FA, GB, IR, QTZ, S658, S714, S752, S753, S828, S758, "Domex Bond Rojo", "Domex Bond" or DBR.

Guard, Cat. No. EV511 or EV512 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Ballast and lamp enclosures, Cat. Nos. EVM-405, -407, -410, -415, -807, -810, -817, -907, -910, -915, -917 may be followed by a 0 or 1, followed by 120, 127, 208, 220, 220/50, 220/60, 240, 240/50, 240/60, 254, 277, 347, 440, 480, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, may be followed by DR, FA, GB, IR, QTZ, S658, S752, S753, S828, S758, "Domex Bond Rojo", "Domex Bond" or DBR, followed by M8.

Mounting modules, Cat. Nos. EV22, -22ES, -33, -87, -87ES, EVB, EVCX2, EVCX3, EVJ4, EVMBX2, -3, EVMCX2, -3, EVMJ4, EVMP2, EVMJ4ES, EVMP3, EVP2, EVP2ES, EVP3 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Reflectors, Cat. Nos. RA73, -739, RD73, -739, EV3912.

Guard, Cat. Nos. EV503, -5140 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Luminaire fittings: Driver-LED enclosures, Cat. No. EVLL; followed by 5L, 7L, 9L, 11L, or 13L; followed by C, or W; followed by 0 or 1; followed by /UNV1, /100-277, /UNV34 or /108-250VDC; may be followed by S812.

Luminaire fittings: Driver-LED enclosures, Cat. No. EVLLA; followed by 5L, 7L, 9L, 11L, or 13L; followed by C, N or W; followed by 0 or 1; followed by -UNV1 or -UNV34; may be followed by S812. ++

Class II, Groups E, F and G.

Luminaire fittings, Type GUE Series with or without suffix SBZ.

Cover/ballast housing, Cat. No. DMVS or DMVC followed by B, J or P, followed by 50 or 70, followed by 120, 127, 208, 220/50, 240, 254, 277, 440, 480, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)", may be followed by S658, S758, S890, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. No. DMVS2 or DMVS3 followed by A, B, C, HA, HB or TW, followed by 50 or 70, followed by 120, 127, 208, 220, 240, 277, 480, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)", may be followed by S658, S758, S890, "Domex Bond Rojo", "Domex Bond" or DBR

Class I, Division 2; Class II, Division 1, Groups E, F and G; and Class III.

Ballast housings, Cat. Nos.(++) DMVC075, 100 or 175, followed by 120, 127, 208, 220, 220/50, 220/60, 230/50, 230/60, 240, 240/50, 250/50, 277, 480, 240/50, 250/50, 250, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" TT or TT2 CWI, may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753 S806, S826, S826TB, S865, S758, TB, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. No. DMVM, followed by 070, 100, 150 or 175, followed by 120, 127, 208, 220, 220/50, 220/60, 230/50, 230/60, 240, 240/50, 250/50, 254, 277, 440, 480, 240/50, 250/50, 250, 277, 347, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" TT or TT2 CWI, may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753 S806, S826 or S826TB, S865, S758, S828, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. Nos. DMVS035, 050, 070 or 100, followed by 120, 127, 208, 220, 220/50, 220/60, 230/50, 230/60, 240, 240/50, 250/50, 250, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" TT or TT2 CWI, may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753 S806, S826, S826TB, S865, S758, TB, "Domex Bond Rojo", "Domex Bond" or DBR

Cat. No. DMVS150, followed by 120, 127, 208, 220, 220/50, 220/60, 230/50, 230/60, 240, 240/50, 250/50, 250, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" TT or TT2 CWI, may be followed by letters LX or CE; may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753 S806, S826, S826TB, S865, S758, TB, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. No. DMVF-026, -039, -052 or -084 followed by 120, 125, 127, 220, 220/50, 220/60, 254, 277 440 or UNV, may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753, S758, S806, S826 or S826TB, S865, S890, TB, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. No. DMVF064 followed by 120, 127, 220, 220/50, 220/60, 254, 277, 440 or UNV, may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753, S758, S806, S826, S826TB, S890, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. No. DMVIG followed by 085, followed by 120 or 277, may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753, S758, S806, S865, S890, "Domex Bond Rojo", "Domex Bond" or DBR.

Covers, Cat. Nos.(++) APM2, -3, BPM2, BPM3, CM2, -3, HPM2, JM5, PM5, QM2, QM25, TWM2, -3 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Globes, Cat. Nos.(++) G303, G303-S808.

Reflectors, Cat. Nos.(++) RA79, -739, RD79, -739.

Refractors, Cat. Nos.(++) GR302, -305 (Not for use on DMVF Series).

Guard, Cat. No.(++) P33 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Guard, Cat. Nos. LMVS035, -050 followed by 120, with or without suffixes S658, S752, S753 and/or S806.

Covers, Cat. Nos. APM2, -3, BPM2, BPM3, CM2, -3, HPM2, JM5, PM5, QM2, -25, TWM2, -3.

Globe, Cat. No. G54.

Guard, Cat. No. P50.

External reflectors, Cat. Nos. RA66, -636, RD66, -636.

Ballast housing, Cat. No. VMVS50, -70, -100 followed by 120, 127, 208, 220, 220/50, 220/60, 240, 240/50, 250, 250/50, 254, 277, 347, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, may be followed by one or more suffixes: BG, FA, RM, S178, S658, S691, S707, S714, S752, S753, S758, S806, S808, S819, S821, S826, S826TB, S831, S862, S865, S890, TB, "Domex Bond Rojo", "Domex Bond" or DBR, may be followed by IR or TIR.

Cat. No. VMVIG, 055 followed by 120 or 230, followed by 50 or 60 Hz, followed by S826 or S826TB. In addition the above Cat. Nos. may be followed by one or more of the following suffixes: BG, FA, S178, S658, S707, S714, S752, S753, S806, S808, S819, S826, S826TB, S849, S865.

Globes, Cat. Nos. G23, G24.

Guard, Cat. Nos. P21, P22, P23 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Reflectors, Cat. Nos. RA22, RA70, RD22, RD70, RS22.

Covers, Cat. Nos. APM2, -3, BPM2, BPM3, CM2, -3, HPM2, JM5, QM2, TWM2, -3 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Ballast housing, Cat. No. VMVC followed by 250 or 400, followed by 120, 127, 208, 220, 220/50, 220/60, 240, 240/50, 250, 250/50, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, followed by GM or RM.

Cat. No. VMVM followed by 200, 250, 320 or 400, followed by 120, 127, 208, 220, 220/50, 220/60, 240, 240/50, 250, 250/50, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, followed by GM or RM.

Cat. No. VMVS followed by 200, 250, 310 or 400, followed by 120, 127, 208, 220, 220/50, 220/60, 230/60, 240, 240/50, 250, 250/50, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, followed by GM or RM.

In addition, the above catalog numbers may be followed by one or more of the following suffixes: BG, DIV2, DR, FA, S658, S691, S714, S752, S753, S758, S806, S819, S826, S826TB, S828, S890, TB, "Domex Bond Rojo", "Domex Bond" or DBR.

Globes, Cat. Nos. G252, G303.

Guard, Cat. Nos. P24, P33 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Reflectors, Cat. Nos. EV3912, RA73, RA79, RA739, RD73, RD79, RD739, RD3912.

Reflector Lens, Cat. Nos. GRD4, RD4.

Reflectors, Cat. Nos. GR302, -305.

Ballast housing, Cat. No. DMVM250; followed by TT2 CWI may be followed by one or more suffixes: DR, M9, FA, S752, S753 S806, S826, S826TB, S865, S758, "Domex Bond Rojo", "Domex Bond", or DBR.

Covers, Cat. Nos. APM2, -3, BPM2, BPM3, CM2, -3, HPM2, JM5, PM5, QM2, -25, TWM2, -3 with or without S758, "Domex Bond Rojo", "Domex Bond", or DBR.

Globes, Cat. Nos. G303, G303-S808.

Guards, Cat. No. P33 with or without S758, "Domex Bond Rojo", "Domex Bond", or DBR.

Reflectors, Cat. Nos. RA79, -739, RD79, -739.

Reflector lens, Cat. Nos. GRD4, RD4.

Refractors, Cat. Nos. GR302, -305.

The following luminaire fittings when assembled in the field in accordance with the manufacturer's instructions comprise a complete LED luminaire. A complete luminaire consists of a cover, a driver module, and a LED module.

Driver modules, Cat. Nos.(++) DM1, DM2, DM3, DM4, followed by /UNV, /UNV1, /120, /120-240, /100-240/277, /347, /480, S812, S890 and/or TB and /TB-X.

LED modules, Cat. Nos.(++) VMV3L, VMV5L, VMV7L, VMV9L and VMV11L, may be followed by N or W, may be followed by S891, S892, S896 and/or 903 or P.

LED Luminaire bodies, Cat. Nos. VMV or VMVHE followed by 3L, 5L, 7L, 9L, or 11L; may be followed by C, N or W; may be followed by an alphanumeric string of up to 4 characters ; may be followed by G; may be followed by /UNV1, /VDC, or /UNV34; may be followed by S812, S896 S890, S891, S892 (Only for VMV5L and VMV7L), S903, NO, or TBX.

LED Luminaire Bodies, Cat. Nos. VMVL or VMVHEL, followed by -3, -5, -7, -9, -11, -13, -R, -G, -B or -A; may be followed by N or W; may be followed by an alphanumeric string of up to 4 characters; may be followed by G; may be followed by /UNV1, or /UNV34; may be followed by S812, S831, S890, S891, S892, S896, S903, S933, NO, DBR, TBX or UPLT may be followed by M2 only for VMVL-13 or VMVHEL-13, may be followed by DR and up to seven numerical digits.

LED Luminaire Bodies, Cat. Nos. VMV or VMVHE followed by 3L, 5L, 7L, 9L, 11L, RL, GL, BL or AL; may be followed by C, N, Q, W or Z; may be followed by an alphanumeric string of up to 8 characters; may be followed by G; followed by /UNV1; may be followed by S812, S831, S896, S890, S891, S892, S903, S933, NO, DBR, TBX, HZS-X12, HZS-X40 or CNTRL-X.

LED Luminaire bodies, Cat. No. VMV followed by 13L, 17L, 21L, or 25L; may be followed by W or N; may be followed by R1, R3, or R5; may be followed by G; may be followed by /UNV1 or UNV34; may be followed by S831, S890, S891, S896, S903, S812, NO, or TBX, may be followed by M2; may be followed by DR and up to seven numerical digits.

LED Luminaire bodies, Cat. Nos. VMVL followed by 13, 17, 21, or 25; may be followed by W or N; may be followed by R1, R3, or R5; may be followed by G; followed by /UNV1 or /UNV34; may be followed by S831, S890, S891, S896, S903, S812, NO, or TBX.

Wire guard, Cat. No. P3001, P3003.

The driver module and LED module are intended for use with the following mounting covers:

Mounting covers, Cat. Nos. APM2, APM20, APM25,, APM3, BPM2, BPM3, HPM2, DM2, DM3, TWM2, TWM20, TWM25, TWM3, JM5, PM5, CM20, CM25.

Class I, Division 2 only; Class II, Groups F and G.

Ballast housings, Cat. No. N2MVM followed by 070, -100, -150 or -175 +, followed by 120, 208, 220, 220/50, 220/60, 240/50, 240, 277, 480, 600,

DT, MT or TT, followed by S826TB or S828.

Cat. No. N2MVS followed by 035, -050, -070, -100 or -150 +, followed by 120, 208, 220/50, 240/50, 240, 277, 480, 600, DT, MT or TT, followed by FA, S826TB. + - Suffixes -150 & -175 not covered for Class II.

Cat. No. N2MVF followed by -039, -026 or -064, followed by 120, 220, 220/50, 220/60 or 277 followed by FA, or S826TB.

| Other Luminaire Fittings | Cat. No. |
|--------------------------|---|
| Covers | N2APM2, N2APM3, N2CM2, N2CM3, N2CM5 |
| Globes | G303, G303-S808, PRG302, PRG303, and PRG305 |
| Guards | P23, P33 |
| Reflectors | GR302, GR305 |

Class I, Division 2 Groups A, B, C and D; Class II, Division 1, Groups F and G.

LED/driver modules, Cat. No.(+) V2LM2, followed by C or N or W, followed by /UNV1 or /DC1, may be followed by one or more of the suffixes S891 and S896.

LED/driver modules, Cat. No.(+) V3LM2, followed by C or N or W, followed by /UNV1 or /DC1, may be followed by one or more of the suffixes S891 and S896.

Pendant mounting covers, Cat. No.(++) VLA followed by 1, 2 or 3.

Cover adapters, Cat. No.(++) VLHR.

Stanchion mounting covers, Cat. No.(++) VXJ4.

Wall mounting cover, Cat. No.(++) VXW2.

Luminaire housings, Cat. No. MLL or MLLA, may be followed by -N or -W; followed by -4 or -2; may be followed by -1 or -1R; may be followed by -N; followed by -UNV1 or -UNV34; may be followed by S903, S891, or S903D; or SRG followed by -TF; may be followed by P or WH, may be followed by DRxxxxxxx(xxxxxxx may be any seven digits).

Mounting means, Cat. No. DP1057MTK, DP1050MTK, DP1053MTK, MP1054MTK Kit, DP1052MTK, PM Kit 1.25, PM Kit 1.5, PM Kit 2.0, Cat. No. PEND HAZ Kit, MP1054MTK A Kit.

Class I, Division 2, Groups A, B, C and D; Class II, Division 2, Groups F and G.

LED/driver modules, Cat. No.(+) V2LM2, followed by C, N or W, followed by /UNV1 or /DC1, may be followed by one or more of the suffixes S891 and S896.

LED/driver modules, Cat. No.(+) V3LM2 followed by C, N or W, followed by /UNV1 or /DC1, may be followed by one or more of the suffixes S891 and S896.

Pendant mounting covers, Cat. No.(++) VLA followed by 1, 2 or 3.

Cover adapters, Cat. No.(++) VLHR.

Stanchion mounting covers, Cat. Nos.(++) VXJ4.

Wall mounting covers, Cat. No.(++) VXT20.

Luminaire housings, Cat. No. DLL or DLLA, may be followed by -N or -W; followed by -4 or -2; may be followed by -1 or -1R; may be followed by -N; followed by -UNV1 or -UNV34; may be followed by S903, S891, or S903D; followed by -TF; may be followed by P or WH; may be followed by SRG and/or Model: M2, may be followed by DRxxxxxxx(xxxxxxx may be any seven digits).

Junction boxes, Cat. No. VXFT, followed by 10 or 20.

Junction boxes, Cat. No. VXF, followed by 10 or 20.

V-SPRING telescoping light pole, Cat. No. V65; followed by W or H, followed by G, S or A, followed by blank or C, may be followed by JM5 or PM5.

Class II, Groups E and F.

Cat. No. DMVC or DMVS followed by J or P, followed by 100, followed by 120, 127, 208, 220, 220/50, 240, 254, 277, 440, 480, MT1, MT2, "

(220/254/277/440)" or "(127/220/254/277)", may be followed by FA, S658, S758, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. No. DMVC or DMVS followed by 2 or 3, followed by A, B, C, HA, HB or TW, followed by 100, followed by 120, 127, 208, 220, 220/50, 240, 277, 440, 480, MT1, MT2, "(220/254/277/440)" or "(127/220/254/277)", may be followed by S658, S758, "Domex Bond Rojo", "Domex Bond" or DBR.

Class II, Groups F and G.

Ballast housings, Cat. No. N2MVC or N2MVC100 followed by 120, 208, 220, 220/50, 220/60, 240, 240/50, 277, 480, 600, DT, MT or TT.

Cat. Nos. N2MVM070, -100 followed by 120, 208, 220, 220/50, 220/60, 240, 240/50, 277, 480, 600, DT, MT or TT.

Cat. Nos. N2MVS035, -050, -070, -100 followed by 120, 208, 220/50, 240, 240/50, 277, 480, 600, DT, MT or TT.

Cat. Nos. N2MVF026, -039, -052, -064 followed by 120, 220, 220/50, 220/60 or 277.

Ballast housing catalog number may have suffixes BG, DR, FA, IR, S658, S714, S826, S826TB or TB.

Covers, Cat. Nos. N2APM2, N2APM3, N2CM2, N2CM3, N2JM5.

Globes, Cat. No. G303.

Reflectors, Cat. Nos. RA739, RD739.

Guard, Cat. Nos. P23, P33.

Class I, Division 2 only.

Ballast housing, Cat. No. DMVM070 or 100 followed by DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, may be followed by one or more suffixes: FA, S658, S826 or S826TB, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. Nos. N2MVC, N2MVC100 followed by 120, 175, 208, 220, 220/50, 220/60, 240, 240/50, 277, 480, 600, DT, MT or TT.

Cat. Nos. N2MVM070, -100, -175 followed by 120, 208, 220, 220/50, 220/60, 240, 240/50, 277, 480, 600, DT, MT or TT.

Cat. Nos. N2MVF026, -039, -052, -064 followed by 120, 220, 220/50, 220/60 or 277.

Cat. Nos. N2MVS035, -050, -070, -100 followed by 120, 150, 208, 220, 220/50, 220/60, 240, 240/50, 277, 480, 600, DT, MT or TT.

Covers, Cat. Nos. N2APM2, -3, N2CM2, -3, N2JM5 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Globes, Cat. Nos. G303, G303-S808, PGR302, -303, -305.

Guard, Cat. Nos. P23, P33 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Reflectors, Cat. Nos. RA739, RD739.

Reflectors, Cat. Nos. GR302, -305.

Ballast housing, Cat. Nos. VMVC75, -100, -175 followed by 120, 127, 208, 220, 220/50, 220/60, 240, 240/50, 250, 250/50, 254, 277, 347, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT.

Cat. Nos. VMVM070, -100, -125, -150, -175 followed by 120, 127, 208, 220, 220/50, 220/60, 240, 240/50, 250, 250/50, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT.

Cat. No. VMVS150 followed by 120, 127, 208, 220, 220/50, 220/60, 230/60, 240, 240/50, 250, 250/50, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, may be followed by IR, CE or LX.

Cat. Nos. VMVS50, -70, -100 followed by 120, 127, 208, 220, 220/50, 220/60, 230/60, 240, 240/50, 250, 250/50, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, may be followed by IR or TIR.

In addition, the above catalog numbers may be followed by one or more of the following suffixes: BG, FA, RM, S178, S658, S691, S707, S712, S714, S752, S753, S758, S806, S808, S819, S821, S826, S826TB, S828, S831, S865(+), S890, TB, "Domex Bond Rojo", "Domex Bond" or DBR.

Globes, Cat. Nos. G23, G24, G241, G243, G245, G250, G251.

Guards, Cat. Nos. P21, P22, P23, P241 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Reflectors, Cat. Nos. RA22, RA70, RD22, RD70, RS22.

Cat. Nos. DMVM070, -100 followed by DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, may be followed by one or more suffixes: DR, M9, FA, S658, S752, S753, S806, S826, S826TB, S865, S758, "Domex Bond Rojo", "Domex Bond" or DBR.

Refractors, Cat. Nos. R2, R3, R5.

Covers, Cat. Nos. APM2, -3, BPM2, BPM3, CM2, -3, HPM2, JM5, PM5, QM2, TWM2, -3 with or without "S758", "Domex Bond Rojo", "Domex Bond",

"DBR".

Reflectors, Cat. Nos. GR302, -305.

Ballast housing, Cat. No. VMVC followed by 250 or 400, followed by 120, 127, 208, 220, 220/50, 220/60, 240, 254, 277, 440, 480, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT followed by GM or RM, followed by S826, S826TB, S758, S890, TB, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. No. VMVM followed by 200, 250, 320 or 400, followed by 120, 127, 208, 220, 220/50, 220/60, 240, 254, 277, 440, 480, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, followed by GM or RM;

Cat. No. VMVS followed by 200, 250, 310 or 400, followed by 120, 127, 208, 220, 220/50, 220/60, 240, 254, 277, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" or TT, followed by GM or RM.

In addition, the above catalog numbers may be followed by one or more of the following suffixes: BG, CN2, DIV2, DR, FA, S658, S691, S714, S752, S819, S828, S758, "Domex Bond Rojo", "Domex Bond" or DBR. May be marked "Suitable for wet locations".

Covers, Cat. Nos. APM2, -3, BPM2, BPM3, CM2, -3, JM5, PM5, QM2, TWM2, -3 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Globes, Cat. Nos. G252, G303.

Guard, Cat. Nos. P24, P33 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Reflectors, Cat. Nos. EV3912, RA73, -79, -739, RD73, -79, -739, -3912.

Reflector lens, Cat. Nos. GRD4, RD4.

Reflectors, Cat. Nos. GR302, -305, R24, R34, R54.

Ballast housings, Cat. Nos. DMVC250, DMVM200, DMVM250 followed by 120, 127, 208, 220, 220/50, 220/60, 230/50, 230/60, 240, 240/50, 250/50, 250, 254, 277, 347, 440, 480, 480/50, DT, MT, MT1, MT2, "(220/254/277/440)", "(127/220/254/277)" TT or TT2 CWI, may be followed by one or more suffixes: DR, M9, FA, S658 (not suitable for DMVC250 or DMVM250), S752, S753 S806, S826, S826TB, S865, S758, "Domex Bond Rojo", "Domex Bond" or DBR.

Cat. Nos. LMVM070, -100, LMVS035, -050, -070, -100 followed by 120, 208, 220, 240, 277, DT, MT, TT or 480, followed by S826, S826TB or TB, with or without suffixes S658, S752, S753, S806, S865 and/or S890. May also be marked "Type 4X".

Covers, Cat. Nos. APM2, -3, BPM2, BPM3, CM2, -3, HPM2, JM5, PM5, QM2, -25, TWM2, -3 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

Globe, Cat. No. G54.

Guard, Cat. No. P50 with or without "S758", "Domex Bond Rojo", "Domex Bond", "DBR".

External reflectors, Cat. Nos. RA66, -636, RD66, -636.

Lamp modules, Cat. Nos. VFA, VFC, VFH may be followed by S752, S753 and additional suffixes.

Cat. Nos. VDA, VDC, VXH may be followed by S752, S753, S905 and additional suffixes.

Mounting modules, Cat. Nos. VXB, VXF, VXFT, VXT may be followed by S752, S753 and additional suffixes.

Globes, Cat. Nos. G24 through G28, G34, G54 through G58, G251.

Guards, Cat. Nos. P21, P22, P50.

Reflectors, Cat. Nos. RA64, RA71, RD64, RD71.

The following luminaire fittings when assembled in the field in accordance with the manufacturer's instructions comprise a complete LED luminaire. A complete luminaire consists of a mounting cover with or without a mounting adapter, and a LED/driver module.

Class I, Division 2; Class II, Groups E, F and G; Class III.

Ballast housings, Cat. Nos. LMVS035, LMVS050 followed by 120, DT, MT, TT or 480, with or without suffixes FA, S658, S752, S753, S806, S865 and/or S890. May also be marked "Type 4X".

Globe, Cat. No. G54.

Guard, Cat. No. P50.

External reflectors, Cat. Nos. RA66, RA636, RD66, RD636.

+ S865 suffix does not apply to fixtures rated over 150 W.

(++) Also complementary Listed under "Miscellaneous Marine Luminaires" (IGZR).

Note: All Cat. Nos. may be followed by suffix TWN.

Class I, Division 2; Class II, Division 1, Groups E, F and G; Class III.

LED Luminaire Driver Housing, Cat. No. MLLA or DLLA +, followed by 2 or 4; followed by UNV1 or UNV34; may be followed by 1R; may be followed by P, WH; followed by M2.

LED Luminaire Light Engine, Cat. No. MLLA or DLLA +, may be followed by N or W; followed by 2 or 4; may be followed by N; may be followed by S891, S903 or S903D; followed by M2.

+ Note: Cat. No. DLLA luminaire fittings are certified for Class I, Division 2, Groups A, B, C and D; and Class II, Division 2, Groups F and G only.

Mounting Means, Cat. Nos. M2-FLUSH-MT-KIT, M2-CEILING-SWIVEL-KIT, M2-CEILING-WALL-KIT, M2-PM-KIT-1.25, M2-PM-KIT-1.5, M2-PM-KIT-2.0, M2-PENDANT-KIT.

[Click here to view the Colombia Market Access Certification](#)

Last Updated on 2022-04-20



The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."