



Certificate of Compliance

Certificate: 2760923

Master Contract: 163545

Project: 80067411

Date Issued: 2021-01-22

Issued To: Eaton Corporation
1000 Cherrington Pkwy
Moon Township, Pennsylvania, 15108
United States

Attention: Alberto Vazquez

The products listed below are eligible to bear the CSA Mark shown

Issued by: *Zhibin Li*
Zhibin Li



PRODUCTS

CLASS - C143202 - CIRCUIT BREAKERS Arc Fault Circuit Interrupters

CLASS - C145101 - GROUND FAULT DEVICES Circuit Interrupters

- Cat. No. BRLAFGF, CHFAGGF, Dual Function Ground Fault Circuit Interrupter (Class A) and Combination Arc Fault Circuit Interrupter Circuit Breaker, 1-pole, 15 and 20A, 120Vac, 60Hz, fully Magnetic, interrupting rating, 10kA at 120Vac.
- Cat. No. CHFN, CHFP, CHFNH, CHFNP series, Dual Function (DF) Ground Fault Circuit Interrupter (Class A) and Combination Arc Fault Circuit Interrupter Circuit Breaker, 1-pole, 15 and 20A, 120Vac, 60Hz, fully Magnetic. Interrupting rating as following:

Breaker	Interrupting Rating, kA	Current Rating, A	Cat. No.
CHFNP	10	15 & 20	CHFNP115DF & CHFNP120DF
CHFP	10	15 & 20	CHFP115DF & CHFP120DF



Certificate: 2760923
Project: 80067411

Master Contract: 163545
Date Issued: 2021-01-22

CHFNI	22	15 & 20	CHFNI115DF & CHFNI120DF
CHFNH	22	15 & 20	CHFNH115DF & CHFNH120DF

- Cat. No. BRAFGF series, Dual Function Ground Fault Circuit Interrupter (Class A) and Combination Arc Fault Circuit Interrupter Circuit Breaker, 1-pole, 15 and 20A, 120Vac, 60Hz, fully Magnetic, interrupting rating as following table:
- Cat. No. BR GF series, Combined circuit breaker and ground fault circuit interrupter, Class A, 1-pole, 10, 15, 20, 25 and 30A, 120Vac, 60Hz, fully Magnetic, interrupting rating as following table:

Base Breaker Type	Interrupting Rating, kA	Current Rating, A	Cat. No.
BR/QB/THQ	10	15 & 20	BRAFGF/QBAFGF/BRAFGFPN/BRAFGFQN/BRAFGFC/ BRAFGFCPN/BRAFGFCS/BRAFGFPNCS/BRAFGFCCS/ BRAFGFCPNCS/BRPAFGFCS/THQLDF/BRNDF /BRPDF/BRNDFC/BRPDFC
		15,20, 25 & 30	QBGF/BRNGFCCS/BRPGFCS/BRPGFCCS/CLGFCS/B RNEP/ BRPEP/QBEP /THQBDF/BRNGF/BRNGFC/BRPGF/ BRPGFC/CLGF/QBGF/BRNGFCCS/BRPGFCS/BRPGF CCS/ CLGFCS/BRNEP/BRPEP/QBEP/BRNGFCS / /BRNGF/BRNGFC/BRPGF/BRPGFC/CLGF/
BRH/QBH/THH	22	15 & 20	BRHAFGF/QBHAFGF/THHQLDF/ THHQBDF
		15,20, 25 & 30	BRHNGFC/BRHPGF/BRHPGFC/QBHGF/QBH EP /BRHNGF

Notes:

1. Cat. No. BRHAFGF series is with base breaker BRH series whose interrupting rating is 22kA at 120Vac.
2. QB1120AFGF / QB1115AFGF are same as BR1120AFGF/BR1115AFGF except bolt on line terminal instead of plug on.
3. THQL1115AFGF/THQL1020AFGF, THQL1115DF/THQL1120DF, THQB1115DF/THQB1120DF are same as BR1115AFGF/BR1020AFGF But with GE Commercial labeled.
4. BRAFGF115CS/BRAFGF120CS are the same as BRAFGF115/BRAFGF120 but with Clamshell packaging label.



Certificate: 2760923
Project: 80067411

Master Contract: 163545
Date Issued: 2021-01-22

-
5. Type CHF DF circuit breakers are designed to plug-onto a stab for making line connections. The CHFN DF are plug in units that use the pigtail wire for the panel neutral connection. The CHFP DF are plug in units that use the Plug-On-Neutral connector for the panel neutral connection

APPLICABLE REQUIREMENTS

CSA Std C22.2 No.5	-	Moulded Case Circuit Breakers
CSA Std C22.2 No 144.1	-	Ground Fault Circuit Interrupters
CSA Std C22.2 No 270	-	Arc Fault Protective Devices



Supplement to Certificate of Compliance

Certificate: 2760923

Master Contract: 163545

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80067411	2021-01-22	Update Report 2760923 to cover evaluation of update No.1 of C22.2 No.144.1-16 to include redundancy solenoid design.
80005944	2020-03-03	Update report 2760923 to cover addition of Cat. No. CHFN, CHFP, CHFNH, CHFNP series, Dual Function Ground Fault Circuit Interrupter (Class A) and Combination Arc Fault Circuit Interrupter Circuit Breaker, 1-pole, 15 and 20A, 120Vac, 60Hz, fully Magnetic.
000070185677	2018-06-04	Update report 2760923 to Cover additional Cat. No. BR GF, Combined circuit breaker and ground fault circuit interrupter, Class A, 1- pole, 10, 15, 20, 25 and 30A.
000070163825	2017-12-14	Update report 2760923 to cover additional Cat. No. BRAFGF, Single Pole, 120Vac, 15A and 20A.
000070057811	2015-12-18	firmware modification identifier OxC38E
0002760923	2014-09-26	Combination moulded case circuit breaker and arc fault/ground fault