

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20190705-E108296  
**Report Reference** E108296-20190622  
**Issue Date** 2019-JULY-05

**Issued to:** Eaton MedC Ltd  
4003 Crouse-Hinds UK Div  
Dorset Rd Sheerness  
ME12 1LP UNITED KINGDOM

**This certificate confirms that representative samples of** OUTLET AND JUNCTION BOXES FOR USE IN ZONE CLASSIFIED HAZARDOUS LOCATIONS

See addendum page.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 60079-0, Explosive atmospheres – Part 0: Equipment – General requirements, UL 60079-7, Explosive Atmospheres – Part 7: Equipment protection by increased safety “e”, CAN/CSA-C22.2 No. 60079-0, Explosive atmospheres – Part 0: Equipment – General requirements, and CAN/CSA-C22.2 No. 60079-7, Explosive Atmospheres – Part 7: Equipment protection by increased safety “e”

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20190705-E108296  
**Report Reference** E108296-20190622  
**Issue Date** 2019-JULY-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.


**Models:**

USL -Terminal Enclosures for use in Class I Zone 1 AEx eb IIC Gb Hazardous Locations:  
Ex-Cell Cat. No. XL followed by V, H, E or F, followed by S1, S2, S3, S5, P3 or P4 followed by 15 to 160 followed by 15 to 120 followed by 08 to 40 followed by 0 to 4 followed by HQ, HB, B, QH, BH, followed by T1, S1, S2 or HASP, followed by 1, 2 or 3.

N-TB Cat. No. NXT followed by S1, S2, S3, S5, P1, P2, P3 or P5, followed by 22 to 105, followed by 15 to 74, followed by 13 to 74, followed by 0 to 4, followed by 1, 2, or 4.

CNL -Terminal Enclosures for use in Ex eb IIC Gb Hazardous Locations:  
Ex-Cell Cat. No. XL followed by V, H, E or F, followed by S1, S2, S3, S5, P3 or P4 followed by 15 to 160 followed by 15 to 120 followed by 08 to 40 followed by 0 to 4 followed by HQ, HB, B, QH, BH, followed by T1, S1, S2 or HASP, followed by 1, 2 or 3.

N-TB Cat. No. NXT followed by S1, S2, S3, S5, P1, P2, P3 or P5, followed by 22 to 105, followed by 15 to 74, followed by 13 to 74, followed by 0 to 4, followed by 1, 2, or 4.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

