

## Building Energy Management Software compatibility list

### Energy Meter

Our Building Energy Management Software allows you to connect up to 20 Energy Meter devices.

Brand	Model	Communication protocol
Eaton	EM20 IPH	Modbus TCP/IP
	Standard-Modbus TCP-power-meter-3p-10	Modbus TCP/IP
Schneider Electric	PM5563	Modbus TCP/IP

### EV Charger

Our Building Energy Management Software allows you to connect up to 150 EV Charger devices.

Brand	Model	Communication protocol
Eaton	Green Motion Building	OCPP 1.6J
		Modbus TCP/IP
	Green Motion DC 22	OCPP 1.6J
	Green Motion DC 44	OCPP 1.6J
	Green Motion DC 66	OCPP 1.6J
KEBA	P30 x-series	OCPP 1.6J
		Modbus TCP/IP
	P30 c-series	OCPP 1.6J
		Modbus TCP/IP
Hager	XEV1R22T2	OCPP 1.6J
	XEV600C	OCPP 1.6J
	XEV601C	OCPP 1.6J
IES	Keywatt W24	OCPP 1.6J
	Keywatt S24	OCPP 1.6J
	Keywatt S50	OCPP 1.6J
	Keywatt S100	OCPP 1.6J

## PV Inverter

Our Building Energy Management Software allows you to connect one PV Inverter device.

Brand	Model	Communication protocol
SMA	Sunny Tripower TL9000TL-20	Modbus TCP/IP

## Battery Energy Storage

Our Building Energy Management Software allows you to connect one Battery Energy Storage device.

Brand	Model	Communication protocol
Eaton	xStorage Compact	Modbus TCP/IP

## Charge Point Operator Software

Our Building Energy Management Software works with the following Charge Point Operator software:

Brand	Model	Communication protocol
Eaton	Charging network manager	OCPP 1.6J - Proxy
Citeos	City App	OCPP 1.6J - Proxy



### Eaton Manufacturing LP, Morges Branch

Chemin de Maillefer 61  
1052 Le mont-sur-Lausanne  
SWITZERLAND  
[www.eaton.com](http://www.eaton.com)

© 2024 Eaton  
All Rights Reserved  
February 2024

Eaton is a registered trademark.

All other trademarks are property of their respective owners.