



## (1) EC-TYPE EXAMINATION CERTIFICATE

(2) Equipment or protective system intended for use in potentially explosive atmospheres  
Directive 94/9/EC

(3) EC-Type Examination Certificate number: **LOM 02ATEX2018 X**

(4) Equipment or Protection System   Luminaries  
Type AB50.. / SPG1N

(5) Applicant:                               Cooper, Crouse-Hinds Division, CEAG  
CEAG Nortem, S.A.

(6) Address:                                 Avda. Santa Eulalia, 290  
08223 TARRASA (BARCELONA)  
SPAIN

(7) This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.


(8) Laboratorio Oficial J.M. Madariaga (LOM), notified body number 0163 in accordance with Article 9 of the Directive 94/9/EC of the European Parliament of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive.  
The examination and test results are recorded in confidential report nr. **LOM 01.292 SP**

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:  
- Standards               **EN 50014:1997 + A1:1999 + A2:1999**  
                                  **EN 50018:2000**  
                                  **EN 50019:2000**

(10) If the sign X is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in this certificate schedule.

(11) This EC-Type Examination Certificate relates only to the design and construction of this specified equipment or protective system in accordance with the Directive 94/9/EC. Further requirements of the Directive applies to the manufacture and supply of this equipment or protective system. These are not covered by this certificate.

(12) The marking of the equipment or protective system shall include the following:


 II 2 G    EEx d IIC T3..T6 / EEx de IIC T3..T6  
Ta: -20 °C / +55 °C



Carlos Fernández Ramón  
DIRECTOR OF THE LABORATORY



Madrid, 10 May 2002



Angel Vega Remesal  
Head of ATEX area

*(This document may only be reproduced in its entirety)*

This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text





# LABORATORIO OFICIAL J. M. MADARIAGA

(A1) **SCHEDULE**

(A2) EC-Type Examination Certificate: **LOM 02ATEX2018 X**

(A3) Description of equipment or protective system

Suspension or portable bulb luminaires are intended to incandescent lamps, incandescent halogens or compact PL with lamp holder type GLS.

Denominación:

Type	Cable entry	Type of protection	Utilization
AB50 IT	Direct, top entrance	EEx d	Suspension
AB50 IU	Direct, lateral entrance	EEx d	
AB50 IW	Indirect With auxiliary box, top entrance	EEx d	
AB50 IWM		EEx de	
AB50 IX	Indirect With auxiliary box, lateral entrance	EEx d	
AB50 IXM		EEx de	
SPG1N	Direct, lateral entrance	EEx d	Portable

Temperature class:

Type Lamp	Power (W)	Temperature class	
		Ta: -20 °C / +40 °C	Ta: -20 °C / +55 °C
Fluorescent PL	11	T6	T6
	60	T4	T3
Incandescence	100	T3	T3
	75	T4	T3
Halogen	100	T3	T3
	150	T3	T3

Rated Voltage: to 250 V

(A4) Test report: nº **LOM 01.292 SP**

(A5) Special conditions for safe use

Power supply cable shall have a continuous service temperature greater or equal to:

Lamp power	Ta: 40 °C	Ta: 55 °C
60-75 W	100 °C	115 °C
100 W	105 °C	120 °C
150 W	130 °C	145 °C

when it is used with direct cable entry.



*(This document may only be reproduced in its entirety)*

This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text





# LABORATORIO OFICIAL J. M. MADARIAGA

(A1) SCHEDULE

(A2) EC-Type Examination Certificate: **LOM 02ATEX2018 X**

(A6) Essential Health and Safety Requirements

Each manufactured unit must be submitted to a static pressure test of 890 kPa, according to paragraph 15.3.1 of EN 50018:2000.

Explosion safe requirements are covered by application of the standards indicated in page 1/3 of this certificate.

(A7) Descriptive documents:

		<u>Rev.</u>	<u>Date</u>
Description nr.	AB50&SPG1N.doc (5 pp)	1	2002-05-09
Drawings nr.:	N511112A0002	A	2001-07-06
	N511112A0003	A	2001-07-06
	N511112A0004	A	2001-07-06
	N511114B0014	B	2002-05-03
	N511114B0015	B	2002-05-03



*(This document may only be reproduced in its entirety)*

This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text






(1) **EC-TYPE EXAMINATION CERTIFICATE SUPPLEMENT**


- (2) Equipment or protective system intended for use in potentially explosive atmospheres.  
Directive 94/9/EC
- (3) Supplement nr. 1 to EC-Type Examination Certificate number: **LOM 02ATEX2018 X**
- (4) Equipment or Protection System                      Suspension bulb luminaries  
Type AB50... / SPGIN
- (5) Applicant    Cooper, Crouse-Hinds Division, CEAG  
CEAG Nortem, S.A.
- (6) Address    Avda. Santa Eulalia, 290  
08223 TARRASA (BARCELONA)  
SPAIN
- (7) This certificate supplement increases the scope of certificate LOM 03ATEX2018 X to include variants as specified in the annex to this certificate supplement and listed documents.
- (8) The examination and test results are recorded in confidential report nr. **LOM 03.059 RP**

This supplement must be an inseparable part together with base certificate.

Madrid, 6 May 2003

  
Carlos Fernández Ramón  
DIRECTOR OF THE LABORATORY



  
Angel Vega Remesal  
Head of ATEX area

*(This document may only be reproduced in its entirety)*

This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text

Page 1/2





# LABORATORIO OFICIAL J. M. MADARIAGA

(A1) **ANNEX**


(A2) Supplement nr. 1 to EC-Type Examination Certificate number: **LOM 02ATEX2018 X**

(A3) Variations included in this supplement

To extend the application of the luminaries type AB50... / SPGIN to combustible dust atmospheres by assessment of the standard **EN 50281-1-1:1998 + A1:2002**

Lamp type	Power (W)	Temperature class		Surface temperature	
		Ta: -20 °C / +40 °C	Ta: -20 °C / +55 °C	Ta: -20 °C / +40 °C	Ta: -20 °C / +55 °C
Fluorescente PL	11	T6	T6	T85 °C	T85 °C
Incandescencia	60	T4	T3	T91 °C	T106 °C
	100	T3	T3	T130 °C	T145 °C
Halógena	75	T4	T3	T120°C	T135°C
	100	T3	T3	T126°C	T141°C
	150	T3	T3	T161°C	T176°C

(A4) Marking variations

 II 2 GD EEx de IIC T\* IP66 T\* (\* = according type)

(A5) Test report nr: **LOM 03.059 RP**

(A6) Essential Health and Safety Requirements

No change

(A7) Descriptive documents

Drawings nr.		<u>Rev.</u>	<u>Date</u>
N511114C0014		C	2002-10-07
N511114C0015		C	2002-10-07







(1) **EC-TYPE EXAMINATION CERTIFICATE SUPPLEMENT**

(2) Equipment or protective system intended for use in potentially explosive atmospheres.  
Directive 94/9/EC

(3) Supplement nr. 2 of EC-Type Examination Certificate: **LOM 02ATEX2018 X**

(4) Equipment or protective system: Suspension bulb luminaries  
Type AB50... / SPG1N

(5) Applicant: Cooper Crouse-Hinds, S.A.

(6) Address: Avda. Santa Eulalia, 290  
08223 TARRASA (BARCELONA)  
SPAIN

(7) Test report: **LOM 04.651 XP**

(8) Variations included in this certificate

- To increase the use for an ambient temperature Ta: -50 °C /+55 °C

(9) Marking changes

Change to the marking: Ta: -50 °C /+55 °C

(10) Change in individual tests

Each manufactured unit must be submitted to overpressure test of 1360 kPa according paragraph 15.1.3 of EN 50018:2000.


(11) Descriptive documents

- Description nr. Low temperature AB150&SPG1N.doc	<u>Rev.</u>	<u>Date</u>
	-	2004-12-21

Madrid, 23th February 2005

  
Carlos Fernández Ramón  
DIRECTOR OF THE LABORATORY

OFICIAL  
LABORATORIO  
J.M. MADARIAGA  
LOM

  
Angel Vega Remesal  
Head of ATEX area

This supplement must be an inseparable part together with the base certificate **LOM 02ATEX2018 X**  
(This document may only be reproduced in its entirety and without any change)  
This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text





(1) **EC-TYPE EXAMINATION CERTIFICATE SUPPLEMENT**

(2) Equipment or protective system intended for use in potentially explosive atmospheres.  
Directive 94/9/EC

(3) Supplement nr. 3 of EC-Type Examination Certificate: **LOM 02ATEX2018 X**

(4) Equipment or protective system: Suspension bulb luminaries  
Type AB50... / SPGIN

(5) Applicant: Cooper Crouse-Hinds, S.A.

(6) Address: Avda. Santa Eulalia, 290  
08223 TARRASA (BARCELONA)  
SPAIN

(7) Test report: **LOM 04.651 XP**

(8) Variations included in this certificate

To exclude individual over-pressure tests to have submitted the prototype at four times the reference pressure.  
This exclusion is only valid for enclosures having an ambient temperature  $T_a$ : -20 °C / +55 °C

(9) Marking changes

None

(10) Change in individual tests

Over-pressure tests are excluded

(11) Descriptive documents

	<u>Rev.</u>	<u>Date</u>
- Description nr. Ext.Nr.3 AB50.doc	-	2005-04-07

Madrid, 31st May 2005

OFICIAL  
LABORATORIO J.M. MADARIAGA  
  
Carlos Fernández Ramón  
DIRECTOR OF THE LABORATORY

  
Angel Vega Remesal  
Head of ATEX area

This supplement must be an inseparable part together with the base certificate **LOM 02ATEX2018 X**  
(This document may only be reproduced in its entirety and without any change)  
This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text



(1) **EC-TYPE EXAMINATION CERTIFICATE SUPPLEMENT**

- (2) Equipment or protective system intended for use in potentially explosive atmospheres.  
Directive 94/9/EC
- (3) Supplement nr. 4 of EC-Type Examination Certificate: **LOM 02ATEX2018 X**
- (4) Equipment or protective system: Bulb luminarie  
Type AB50../SPGIN
- (5) Applicant: Cooper Crouse-Hinds, S.A.
- (6) Address: Avda. Santa Eulalia, 290  
08223 TARRASA (BARCELONA)  
SPAIN
- (7) Test report: **LOM 04.648 UP**

(8) Variations included in this certificate

To include a variant foreseen as illuminator for level measurement. This variant contains a lamp of 25 W and its transparent part is partially painted .

(9) Marking changes

Temperature class T6

(10) Descriptive documents

	Rev.	Date
-Description nr. Ext.Nr.4 AB50	0	2005-04-14
-Drawing nr. N511112-0139	-	2005-04-13

Madrid, 23th June 2005

OFICIAL  
LABORATORIO OFICIAL J.M. MADARIAGA  
LOM

*[Signature]*  
Carlos Fernández Ramón  
DIRECTOR OF THE LABORATORY

*[Signature]*  
Angel Vega Remesal  
Head of ATEX area

This supplement must be an inseparable part together with the base certificate **LOM 02ATEX2018 X**  
*(This document may only be reproduced in its entirety and without any change)*  
 This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text







(1) EC-TYPE EXAMINATION CERTIFICATE SUPPLEMENT

(2) Equipment or protective system intended for use in potentially explosive atmospheres. Directive 94/9/EC

(3) Supplement nr. 5 of EC-Type Examination Certificate: LOM 02ATEX2018 X

(4) Equipment or protective system Luminaire Type AB50.. / SPG1N

(5) Applicant COOPER Crouse-Hinds

(6) Address Avda. Santa Eulalia, 290 08223-TERRASSA (BARCELONA) SPAIN

(7) Test report nr.: LOM 08.234 SP

(8) Variations included in this certificate

- 1 Assessment update to the standards EN 60079-0:2006, EN 60079-1:2007, EN 60079-7:2007 EN 61241-0:2006 and EN 61241-1:2004
2 Update of the manufacturer/applicant name

(9) Changes in marking

Ex II 2 G Ex d IIC T3..T6 / Ex de IIC T3..T6 Ex tD A21 IP66 T...°C

Temperature classes, surface temperatures and ambient temperature ranges are indicated in the base certificate and previous supplements.

(10) Descriptive documents

Table with 4 columns: Description nr., Ext, Rev., Date. Rows include Description nr. Ext varios, Drawings nr.: CCH-0805004, CCH-0805006.



Carlos Fernández Ramón DIRECTOR OF THE LABORATORY

Madrid, 3rd March, 2009

Angel Vega Remesal Head of ATEX area

This supplement must be an inseparable part together with the base certificate LOM 02ATEX2018 X

This Certificate is a translation from the original in Spanish. The LOM liability applies only on the Spanish text

(This document may only be reproduced in its entirety and without any change) Pág. 1 / 1

