

15, 25, 28 kV Class loadbreak elbow connector and 25 kV POSI-BREAK loadbreak elbow connector ICEA cross reference data



Powering Business Worldwide

This document contains cross reference data used to determine current part numbers due to design changes to meet AEIC and ICEA standards.

This document also contains cross reference data to competitor part numbers.

NON-TEST POINT ELBOWS, 15 kV

Bulk packed		Individual cartons		Bulk packed		Individual cartons	
Current "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	Current "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	Current "B" range w/o test point (0.700"-0.910")	New "AB" range w/o test point (0.610"-0.970")	Current "B" range w/o test point (0.700"-0.910")	New "AB" range w/o test point (0.610"-0.970")
LE215A00	LE215AB00	LE215A00X	LE215AB00X	LE215B00	LE215AB00	LE215B00X	LE215AB00X
LE215A01	LE215AB01	LE215A01X	LE215AB01X	LE215B01	LE215AB01	LE215B01X	LE215AB01X
LE215A02	LE215AB02	LE215A02X	LE215AB02X	LE215B02	LE215AB02	LE215B02X	LE215AB02X
LE215A03	LE215AB03	LE215A03X	LE215AB03X	LE215B03	LE215AB03	LE215B03X	LE215AB03X
LE215A04	LE215AB04	LE215A04X	LE215AB04X	LE215B04	LE215AB04	LE215B04X	LE215AB04X
LE215A05	LE215AB05	LE215A05X	LE215AB05X	LE215B05	LE215AB05	LE215B05X	LE215AB05X
LE215A06	LE215AB06	LE215A06X	LE215AB06X	LE215B06	LE215AB06	LE215B06X	LE215AB06X
LE215A07	LE215AB07	LE215A07X	LE215AB07X	LE215B07	LE215AB07	LE215B07X	LE215AB07X
LE215A08	LE215AB08	LE215A08X	LE215AB08X	LE215B08	LE215AB08	LE215B08X	LE215AB08X
LE215A09	LE215AB09	LE215A09X	LE215AB09X	LE215B09	LE215AB09	LE215B09X	LE215AB09X
LE215A10	LE215AB10	LE215A10X	LE215AB10X	LE215B10	LE215AB10	LE215B10X	LE215AB10X

Current "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	Current "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	Current "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.920"-0.1.310")	Current "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.970"-0.1.310")
LE215C00	LE215CC00	LE215C00X	LE215CC00X	LE215D00	LE215DD00	LE215D00X	LE215DD00X
LE215C01	LE215CC01	LE215C01X	LE215CC01X	LE215D01	LE215DD01	LE215D01X	LE215DD01X
LE215C02	LE215CC02	LE215C02X	LE215CC02X	LE215D02	LE215DD02	LE215D02X	LE215DD02X
LE215C03	LE215CC03	LE215C03X	LE215CC03X	LE215D03	LE215DD03	LE215D03X	LE215DD03X
LE215C04	LE215CC04	LE215C04X	LE215CC04X	LE215D04	LE215DD04	LE215D04X	LE215DD04X
LE215C05	LE215CC05	LE215C05X	LE215CC05X	LE215D05	LE215DD05	LE215D05X	LE215DD05X
LE215C06	LE215CC06	LE215C06X	LE215CC06X	LE215D06	LE215DD06	LE215D06X	LE215DD06X
LE215C07	LE215CC07	LE215C07X	LE215CC07X	LE215D07	LE215DD07	LE215D07X	LE215DD07X
LE215C08	LE215CC08	LE215C08X	LE215CC08X	LE215D08	LE215DD08	LE215D08X	LE215DD08X
LE215C09	LE215CC09	LE215C09X	LE215CC09X	LE215D09	LE215DD09	LE215D09X	LE215DD09X
LE215C10	LE215CC10	LE215C10X	LE215CC10X	LE215D10	LE215DD10	LE215D10X	LE215DD10X

TEST POINT ELBOWS, 15 kV

Bulk packed		Individual cartons		Bulk packed		Individual cartons	
Current "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	Current "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	Current "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")	Current "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")
LE215A00T	LE215AB00T	LE215A00TX	LE215AB00TX	LE215B00T	LE215AB00T	LE215B00TX	LE215AB00TX
LE215A01T	LE215AB01T	LE215A01TX	LE215AB01TX	LE215B01T	LE215AB01T	LE215B01TX	LE215AB01TX
LE215A02T	LE215AB02T	LE215A02TX	LE215AB02TX	LE215B02T	LE215AB02T	LE215B02TX	LE215AB02TX
LE215A03T	LE215AB03T	LE215A03TX	LE215AB03TX	LE215B03T	LE215AB03T	LE215B03TX	LE215AB03TX
LE215A04T	LE215AB04T	LE215A04TX	LE215AB04TX	LE215B04T	LE215AB04T	LE215B04TX	LE215AB04TX
LE215A05T	LE215AB05T	LE215A05TX	LE215AB05TX	LE215B05T	LE215AB05T	LE215B05TX	LE215AB05TX
LE215A06T	LE215AB06T	LE215A06TX	LE215AB06TX	LE215B06T	LE215AB06T	LE215B06TX	LE215AB06TX
LE215A07T	LE215AB07T	LE215A07TX	LE215AB07TX	LE215B07T	LE215AB07T	LE215B07TX	LE215AB07TX
LE215A08T	LE215AB08T	LE215A08TX	LE215AB08TX	LE215B08T	LE215AB08T	LE215B08TX	LE215AB08TX
LE215A09T	LE215AB09T	LE215A09TX	LE215AB09TX	LE215B09T	LE215AB09T	LE215B09TX	LE215AB09TX
LE215A10T	LE215AB10T	LE215A10TX	LE215AB10TX	LE215B10T	LE215AB10T	LE215B10TX	LE215AB10TX

Current "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	Current "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	Current "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.920"-0.1.310")	Current "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.970"- 0.1.310")
LE215C00T	LE215CC00T	LE215C00TX	LE215CC00TX	LE215D00T	LE215DD00T	LE215D00TX	LE215DD00TX
LE215C01T	LE215CC01T	LE215C01TX	LE215CC01TX	LE215D01T	LE215DD01T	LE215D01TX	LE215DD01TX
LE215C02T	LE215CC02T	LE215C02TX	LE215CC02TX	LE215D02T	LE215DD02T	LE215D02TX	LE215DD02TX
LE215C03T	LE215CC03T	LE215C03TX	LE215CC03TX	LE215D03T	LE215DD03T	LE215D03TX	LE215DD03TX
LE215C04T	LE215CC04T	LE215C04TX	LE215CC04TX	LE215D04T	LE215DD04T	LE215D04TX	LE215DD04TX
LE215C05T	LE215CC05T	LE215C05TX	LE215CC05TX	LE215D05T	LE215DD05T	LE215D05TX	LE215DD05TX
LE215C06T	LE215CC06T	LE215C06TX	LE215CC06TX	LE215D06T	LE215DD06T	LE215D06TX	LE215DD06TX
LE215C07T	LE215CC07T	LE215C07TX	LE215CC07TX	LE215D07T	LE215DD07T	LE215D07TX	LE215DD07TX
LE215C08T	LE215CC08T	LE215C08TX	LE215CC08TX	LE215D08T	LE215DD08T	LE215D08TX	LE215DD08TX
LE215C09T	LE215CC09T	LE215C09TX	LE215CC09TX	LE215D09T	LE215DD09T	LE215D09TX	LE215DD09TX
LE215C10T	LE215CC10T	LE215C10TX	LE215CC10TX	LE215D10T	LE215DD10T	LE215D10TX	LE215DD10TX

NON-TEST POINT ELBOWS, POSI-BREAK 25 kV

Bulk packed			Individual cartons			Bulk packed			Individual cartons		
Old "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "B" range w/o test point (0.700"-0.910")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "B" range w/o test point (0.700"-0.910")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal
PLE225MA00	PLE225AB00	PLEJ225AB00	PLE225MA00X	PLE225AB00X	PLEJ225AB00X	PLE225MB00	PLE225AB00	PLEJ225AB00	PLE225MB00X	PLE225AB00X	PLEJ225AB00X
PLE225MA01	PLE225AB01	PLEJ225AB01	PLE225MA01X	PLE225AB01X	PLEJ225AB01X	PLE225MB01	PLE225AB01	PLEJ225AB01	PLE225MB01X	PLE225AB01X	PLEJ225AB01X
PLE225MA02	PLE225AB02	PLEJ225AB02	PLE225MA02X	PLE225AB02X	PLEJ225AB02X	PLE225MB02	PLE225AB02	PLEJ225AB02	PLE225MB02X	PLE225AB02X	PLEJ225AB02X
PLE225MA03	PLE225AB03	PLEJ225AB03	PLE225MA03X	PLE225AB03X	PLEJ225AB03X	PLE225MB03	PLE225AB03	PLEJ225AB03	PLE225MB03X	PLE225AB03X	PLEJ225AB03X
PLE225MA04	PLE225AB04	PLEJ225AB04	PLE225MA04X	PLE225AB04X	PLEJ225AB04X	PLE225MB04	PLE225AB04	PLEJ225AB04	PLE225MB04X	PLE225AB04X	PLEJ225AB04X
PLE225MA05	PLE225AB05	PLEJ225AB05	PLE225MA05X	PLE225AB05X	PLEJ225AB05X	PLE225MB05	PLE225AB05	PLEJ225AB05	PLE225MB05X	PLE225AB05X	PLEJ225AB05X
PLE225MA06	PLE225AB06	PLEJ225AB06	PLE225MA06X	PLE225AB06X	PLEJ225AB06X	PLE225MB06	PLE225AB06	PLEJ225AB06	PLE225MB06X	PLE225AB06X	PLEJ225AB06X
PLE225MA07	PLE225AB07	PLEJ225AB07	PLE225MA07X	PLE225AB07X	PLEJ225AB07X	PLE225MB07	PLE225AB07	PLEJ225AB07	PLE225MB07X	PLE225AB07X	PLEJ225AB07X
PLE225MA08	PLE225AB08	PLEJ225AB08	PLE225MA08X	PLE225AB08X	PLEJ225AB08X	PLE225MB08	PLE225AB08	PLEJ225AB08	PLE225MB08X	PLE225AB08X	PLEJ225AB08X
PLE225MA09	PLE225AB09	PLEJ225AB09	PLE225MA09X	PLE225AB09X	PLEJ225AB09X	PLE225MB09	PLE225AB09	PLEJ225AB09	PLE225MB09X	PLE225AB09X	PLEJ225AB09X
PLE225MA10	PLE225AB10	PLEJ225AB10	PLE225MA10X	PLE225AB10X	PLEJ225AB10X	PLE225MB10	PLE225AB10	PLEJ225AB10	PLE225MB10X	PLE225AB10X	PLEJ225AB10X

Old "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	With jacket seal	Old "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	With jacket seal	Old "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.920"-0.1.310")	With jacket seal	Old "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.920"-0.1.310")	With jacket seal
PLE225MC00	PLE225CC00	PLEJ225CC00	PLE225MC00X	PLE225CC00X	PLEJ225CC00X	PLE225MD00	PLE225DD00	PLEJ225DD00	PLE225MD00X	PLE225DD00X	PLEJ225DD00X
PLE225MC01	PLE225CC01	PLEJ225CC01	PLE225MC01X	PLE225CC01X	PLEJ225CC01X	PLE225MD01	PLE225DD01	PLEJ225DD01	PLE225MD01X	PLE225DD01X	PLEJ225DD01X
PLE225MC02	PLE225CC02	PLEJ225CC02	PLE225MC02X	PLE225CC02X	PLEJ225CC02X	PLE225MD02	PLE225DD02	PLEJ225DD02	PLE225MD02X	PLE225DD02X	PLEJ225DD02X
PLE225MC03	PLE225CC03	PLEJ225CC03	PLE225MC03X	PLE225CC03X	PLEJ225CC03X	PLE225MD03	PLE225DD03	PLEJ225DD03	PLE225MD03X	PLE225DD03X	PLEJ225DD03X
PLE225MC04	PLE225CC04	PLEJ225CC04	PLE225MC04X	PLE225CC04X	PLEJ225CC04X	PLE225MD04	PLE225DD04	PLEJ225DD04	PLE225MD04X	PLE225DD04X	PLEJ225DD04X
PLE225MC05	PLE225CC05	PLEJ225CC05	PLE225MC05X	PLE225CC05X	PLEJ225CC05X	PLE225MD05	PLE225DD05	PLEJ225DD05	PLE225MD05X	PLE225DD05X	PLEJ225DD05X
PLE225MC06	PLE225CC06	PLEJ225CC06	PLE225MC06X	PLE225CC06X	PLEJ225CC06X	PLE225MD06	PLE225DD06	PLEJ225DD06	PLE225MD06X	PLE225DD06X	PLEJ225DD06X
PLE225MC07	PLE225CC07	PLEJ225CC07	PLE225MC07X	PLE225CC07X	PLEJ225CC07X	PLE225MD07	PLE225DD07	PLEJ225DD07	PLE225MD07X	PLE225DD07X	PLEJ225DD07X
PLE225MC08	PLE225CC08	PLEJ225CC08	PLE225MC08X	PLE225CC08X	PLEJ225CC08X	PLE225MD08	PLE225DD08	PLEJ225DD08	PLE225MD08X	PLE225DD08X	PLEJ225DD08X
PLE225MC09	PLE225CC09	PLEJ225CC09	PLE225MC09X	PLE225CC09X	PLEJ225CC09X	PLE225MD09	PLE225DD09	PLEJ225DD09	PLE225MD09X	PLE225DD09X	PLEJ225DD09X
PLE225MC10	PLE225CC10	PLEJ225CC10	PLE225MC10X	PLE225CC10X	PLEJ225CC10X	PLE225MD10	PLE225DD10	PLEJ225DD10	PLE225MD10X	PLE225DD10X	PLEJ225DD10X

TEST POINT ELBOWS POSI-BREAK 25 kV

Bulk packed			Individual cartons			Bulk packed			Individual cartons		
Old "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")	With jacket seal
PLE225MA00T	PLE225AB00T	PLEJ225AB00T	PLE225MA00TX	PLE225AB00TX	PLEJ225AB00TX	PLE225MB00T	PLE225AB00T	PLEJ225AB00T	PLE225MB00TX	PLE225AB00TX	PLEJ225AB00TX
PLE225MA01T	PLE225AB01T	PLEJ225AB01T	PLE225MA01TX	PLE225AB01TX	PLEJ225AB01TX	PLE225MB01T	PLE225AB01T	PLEJ225AB01T	PLE225MB01TX	PLE225AB01TX	PLEJ225AB01TX
PLE225MA02T	PLE225AB02T	PLEJ225AB02T	PLE225MA02TX	PLE225AB02TX	PLEJ225AB02TX	PLE225MB02T	PLE225AB02T	PLEJ225AB02T	PLE225MB02TX	PLE225AB02TX	PLEJ225AB02TX
PLE225MA03T	PLE225AB03T	PLEJ225AB03T	PLE225MA03TX	PLE225AB03TX	PLEJ225AB03TX	PLE225MB03T	PLE225AB03T	PLEJ225AB03T	PLE225MB03TX	PLE225AB03TX	PLEJ225AB03TX
PLE225MA04T	PLE225AB04T	PLEJ225AB04T	PLE225MA04TX	PLE225AB04TX	PLEJ225AB04TX	PLE225MB04T	PLE225AB04T	PLEJ225AB04T	PLE225MB04TX	PLE225AB04TX	PLEJ225AB04TX
PLE225MA05T	PLE225AB05T	PLEJ225AB05T	PLE225MA05TX	PLE225AB05TX	PLEJ225AB05TX	PLE225MB05T	PLE225AB05T	PLEJ225AB05T	PLE225MB05TX	PLE225AB05TX	PLEJ225AB05TX
PLE225MA06T	PLE225AB06T	PLEJ225AB06T	PLE225MA06TX	PLE225AB06TX	PLEJ225AB06TX	PLE225MB06T	PLE225AB06T	PLEJ225AB06T	PLE225MB06TX	PLE225AB06TX	PLEJ225AB06TX
PLE225MA07T	PLE225AB07T	PLEJ225AB07T	PLE225MA07TX	PLE225AB07TX	PLEJ225AB07TX	PLE225MB07T	PLE225AB07T	PLEJ225AB07T	PLE225MB07TX	PLE225AB07TX	PLEJ225AB07TX
PLE225MA08T	PLE225AB08T	PLEJ225AB08T	PLE225MA08TX	PLE225AB08TX	PLEJ225AB08TX	PLE225MB08T	PLE225AB08T	PLEJ225AB08T	PLE225MB08TX	PLE225AB08TX	PLEJ225AB08TX
PLE225MA09T	PLE225AB09T	PLEJ225AB09T	PLE225MA09TX	PLE225AB09TX	PLEJ225AB09TX	PLE225MB09T	PLE225AB09T	PLEJ225AB09T	PLE225MB09TX	PLE225AB09TX	PLEJ225AB09TX
PLE225MA10T	PLE225AB10T	PLEJ225AB10T	PLE225MA10TX	PLE225AB10TX	PLEJ225AB10TX	PLE225MB10T	PLE225AB10T	PLEJ225AB10T	PLE225MB10TX	PLE225AB10TX	PLEJ225AB10TX

Old "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	With jacket seal	Old "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	With jacket seal	Old "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.920"-1.310")	With jacket seal	Old "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.920"-1.310")	With jacket seal
PLE225MC00T	PLE225CC00T	PLEJ225CC00T	PLE225MC00TX	PLE225CC00TX	PLEJ225CC00TX	PLE225MD00T	PLE225DD00T	PLEJ225DD00T	PLE225MD00TX	PLE225DD00TX	PLEJ225DD00TX
PLE225MC01T	PLE225CC01T	PLEJ225CC01T	PLE225MC01TX	PLE225CC01TX	PLEJ225CC01TX	PLE225MD01T	PLE225DD01T	PLEJ225DD01T	PLE225MD01TX	PLE225DD01TX	PLEJ225DD01TX
PLE225MC02T	PLE225CC02T	PLEJ225CC02T	PLE225MC02TX	PLE225CC02TX	PLEJ225CC02TX	PLE225MD02T	PLE225DD02T	PLEJ225DD02T	PLE225MD02TX	PLE225DD02TX	PLEJ225DD02TX
PLE225MC03T	PLE225CC03T	PLEJ225CC03T	PLE225MC03TX	PLE225CC03TX	PLEJ225CC03TX	PLE225MD03T	PLE225DD03T	PLEJ225DD03T	PLE225MD03TX	PLE225DD03TX	PLEJ225DD03TX
PLE225MC04T	PLE225CC04T	PLEJ225CC04T	PLE225MC04TX	PLE225CC04TX	PLEJ225CC04TX	PLE225MD04T	PLE225DD04T	PLEJ225DD04T	PLE225MD04TX	PLE225DD04TX	PLEJ225DD04TX
PLE225MC05T	PLE225CC05T	PLEJ225CC05T	PLE225MC05TX	PLE225CC05TX	PLEJ225CC05TX	PLE225MD05T	PLE225DD05T	PLEJ225DD05T	PLE225MD05TX	PLE225DD05TX	PLEJ225DD05TX
PLE225MC06T	PLE225CC06T	PLEJ225CC06T	PLE225MC06TX	PLE225CC06TX	PLEJ225CC06TX	PLE225MD06T	PLE225DD06T	PLEJ225DD06T	PLE225MD06TX	PLE225DD06TX	PLEJ225DD06TX
PLE225MC07T	PLE225CC07T	PLEJ225CC07T	PLE225MC07TX	PLE225CC07TX	PLEJ225CC07TX	PLE225MD07T	PLE225DD07T	PLEJ225DD07T	PLE225MD07TX	PLE225DD07TX	PLEJ225DD07TX
PLE225MC08T	PLE225CC08T	PLEJ225CC08T	PLE225MC08TX	PLE225CC08TX	PLEJ225CC08TX	PLE225MD08T	PLE225DD08T	PLEJ225DD08T	PLE225MD08TX	PLE225DD08TX	PLEJ225DD08TX
PLE225MC09T	PLE225CC09T	PLEJ225CC09T	PLE225MC09TX	PLE225CC09TX	PLEJ225CC09TX	PLE225MD09T	PLE225DD09T	PLEJ225DD09T	PLE225MD09TX	PLE225DD09TX	PLEJ225DD09TX
PLE225MC10T	PLE225CC10T	PLEJ225CC10T	PLE225MC10TX	PLE225CC10TX	PLEJ225CC10TX	PLE225MD10T	PLE225DD10T	PLEJ225DD10T	PLE225MD10TX	PLE225DD10TX	PLEJ225DD10TX

Loadbreak elbow connector new part number cross reference chart 25 kV

NON-TEST POINT ELBOWS

Bulk packed			Individual cartons			Bulk packed			Individual cartons		
Old "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "B" range w/o test point (0.700"-0.910")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "B" range w/o test point (0.700"-0.910")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal
LE225MA00	LE225AB00	LEJ225AB00	LE225MA00X	LE225AB00X	LEJ225AB00X	LE225MB00	LE225AB00	LEJ225AB00	LE225MB00X	LE225AB00X	LEJ225AB00X
LE225MA01	LE225AB01	LEJ225AB01	LE225MA01X	LE225AB01X	LEJ225AB01X	LE225MB01	LE225AB01	LEJ225AB01	LE225MB01X	LE225AB01X	LEJ225AB01X
LE225MA02	LE225AB02	LEJ225AB02	LE225MA02X	LE225AB02X	LEJ225AB02X	LE225MB02	LE225AB02	LEJ225AB02	LE225MB02X	LE225AB02X	LEJ225AB02X
LE225MA03	LE225AB03	LEJ225AB03	LE225MA03X	LE225AB03X	LEJ225AB03X	LE225MB03	LE225AB03	LEJ225AB03	LE225MB03X	LE225AB03X	LEJ225AB03X
LE225MA04	LE225AB04	LEJ225AB04	LE225MA04X	LE225AB04X	LEJ225AB04X	LE225MB04	LE225AB04	LEJ225AB04	LE225MB04X	LE225AB04X	LEJ225AB04X
LE225MA05	LE225AB05	LEJ225AB05	LE225MA05X	LE225AB05X	LEJ225AB05X	LE225MB05	LE225AB05	LEJ225AB05	LE225MB05X	LE225AB05X	LEJ225AB05X
LE225MA06	LE225AB06	LEJ225AB06	LE225MA06X	LE225AB06X	LEJ225AB06X	LE225MB06	LE225AB06	LEJ225AB06	LE225MB06X	LE225AB06X	LEJ225AB06X
LE225MA07	LE225AB07	LEJ225AB07	LE225MA07X	LE225AB07X	LEJ225AB07X	LE225MB07	LE225AB07	LEJ225AB07	LE225MB07X	LE225AB07X	LEJ225AB07X
LE225MA08	LE225AB08	LEJ225AB08	LE225MA08X	LE225AB08X	LEJ225AB08X	LE225MB08	LE225AB08	LEJ225AB08	LE225MB08X	LE225AB08X	LEJ225AB08X
LE225MA09	LE225AB09	LEJ225AB09	LE225MA09X	LE225AB09X	LEJ225AB09X	LE225MB09	LE225AB09	LEJ225AB09	LE225MB09X	LE225AB09X	LEJ225AB09X
LE225MA10	LE225AB10	LEJ225AB10	LE225MA10X	LE225AB10X	LEJ225AB10X	LE225MB10	LE225AB10	LEJ225AB10	LE225MB10X	LE225AB10X	LEJ225AB10X

Old "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	With jacket seal	Old "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	With jacket seal	Old "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.920"-1.310")	With jacket seal	Old "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.920"-1.310")	With jacket seal
LE225MC00	LE225CC00	LEJ225CC00	LE225MC00X	LE225CC00X	LEJ225CC00X	LE225MD00	LE225DD00	LEJ225DD00	LE225MD00X	LE225DD00X	LEJ225DD00X
LE225MC01	LE225CC01	LEJ225CC01	LE225MC01X	LE225CC01X	LEJ225CC01X	LE225MD01	LE225DD01	LEJ225DD01	LE225MD01X	LE225DD01X	LEJ225DD01X
LE225MC02	LE225CC02	LEJ225CC02	LE225MC02X	LE225CC02X	LEJ225CC02X	LE225MD02	LE225DD02	LEJ225DD02	LE225MD02X	LE225DD02X	LEJ225DD02X
LE225MC03	LE225CC03	LEJ225CC03	LE225MC03X	LE225CC03X	LEJ225CC03X	LE225MD03	LE225DD03	LEJ225DD03	LE225MD03X	LE225DD03X	LEJ225DD03X
LE225MC04	LE225CC04	LEJ225CC04	LE225MC04X	LE225CC04X	LEJ225CC04X	LE225MD04	LE225DD04	LEJ225DD04	LE225MD04X	LE225DD04X	LEJ225DD04X
LE225MC05	LE225CC05	LEJ225CC05	LE225MC05X	LE225CC05X	LEJ225CC05X	LE225MD05	LE225DD05	LEJ225DD05	LE225MD05X	LE225DD05X	LEJ225DD05X
LE225MC06	LE225CC06	LEJ225CC06	LE225MC06X	LE225CC06X	LEJ225CC06X	LE225MD06	LE225DD06	LEJ225DD06	LE225MD06X	LE225DD06X	LEJ225DD06X
LE225MC07	LE225CC07	LEJ225CC07	LE225MC07X	LE225CC07X	LEJ225CC07X	LE225MD07	LE225DD07	LEJ225DD07	LE225MD07X	LE225DD07X	LEJ225DD07X
LE225MC08	LE225CC08	LEJ225CC08	LE225MC08X	LE225CC08X	LEJ225CC08X	LE225MD08	LE225DD08	LEJ225DD08	LE225MD08X	LE225DD08X	LEJ225DD08X
LE225MC09	LE225CC09	LEJ225CC09	LE225MC09X	LE225CC09X	LEJ225CC09X	LE225MD09	LE225DD09	LEJ225DD09	LE225MD09X	LE225DD09X	LEJ225DD09X
LE225MC10	LE225CC10	LEJ225CC10	LE225MC10X	LE225CC10X	LEJ225CC10X	LE225MD10	LE225DD10	LEJ225DD10	LE225MD10X	LE225DD10X	LEJ225DD10X

TEST POINT ELBOWS, 25 kV

Bulk packed			Individual cartons			Bulk packed			Individual cartons		
Old "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")	With jacket seal
LE225MA00T	LE225AB00T	LEJ225AB00T	LE225MA00TX	LE225AB00TX	LEJ225AB00TX	LE225MB00T	LE225AB00T	LEJ225AB00T	LE225MB00TX	LE225AB00TX	LEJ225AB00TX
LE225MA01T	LE225AB01T	LEJ225AB01T	LE225MA01TX	LE225AB01TX	LEJ225AB01TX	LE225MB01T	LE225AB01T	LEJ225AB01T	LE225MB01TX	LE225AB01TX	LEJ225AB01TX
LE225MA02T	LE225AB02T	LEJ225AB02T	LE225MA02TX	LE225AB02TX	LEJ225AB02TX	LE225MB02T	LE225AB02T	LEJ225AB02T	LE225MB02TX	LE225AB02TX	LEJ225AB02TX
LE225MA03T	LE225AB03T	LEJ225AB03T	LE225MA03TX	LE225AB03TX	LEJ225AB03TX	LE225MB03T	LE225AB03T	LEJ225AB03T	LE225MB03TX	LE225AB03TX	LEJ225AB03TX
LE225MA04T	LE225AB04T	LEJ225AB04T	LE225MA04TX	LE225AB04TX	LEJ225AB04TX	LE225MB04T	LE225AB04T	LEJ225AB04T	LE225MB04TX	LE225AB04TX	LEJ225AB04TX
LE225MA05T	LE225AB05T	LEJ225AB05T	LE225MA05TX	LE225AB05TX	LEJ225AB05TX	LE225MB05T	LE225AB05T	LEJ225AB05T	LE225MB05TX	LE225AB05TX	LEJ225AB05TX
LE225MA06T	LE225AB06T	LEJ225AB06T	LE225MA06TX	LE225AB06TX	LEJ225AB06TX	LE225MB06T	LE225AB06T	LEJ225AB06T	LE225MB06TX	LE225AB06TX	LEJ225AB06TX
LE225MA07T	LE225AB07T	LEJ225AB07T	LE225MA07TX	LE225AB07TX	LEJ225AB07TX	LE225MB07T	LE225AB07T	LEJ225AB07T	LE225MB07TX	LE225AB07TX	LEJ225AB07TX
LE225MA08T	LE225AB08T	LEJ225AB08T	LE225MA08TX	LE225AB08TX	LEJ225AB08TX	LE225MB08T	LE225AB08T	LEJ225AB08T	LE225MB08TX	LE225AB08TX	LEJ225AB08TX
LE225MA09T	LE225AB09T	LEJ225AB09T	LE225MA09TX	LE225AB09TX	LEJ225AB09TX	LE225MB09T	LE225AB09T	LEJ225AB09T	LE225MB09TX	LE225AB09TX	LEJ225AB09TX
LE225MA10T	LE225AB10T	LEJ225AB10T	LE225MA10TX	LE225AB10TX	LEJ225AB10TX	LE225MB10T	LE225AB10T	LEJ225AB10T	LE225MB10TX	LE225AB10TX	LEJ225AB10TX

Old "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	With jacket seal	Old "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	With jacket seal	Old "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.920"-1.310")	With jacket seal	Old "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.920"-1.310")	With jacket seal
LE225MC00T	LE225CC00T	LEJ225CC00T	LE225MC00TX	LE225CC00TX	LEJ225CC00TX	LE225MD00T	LE225DD00T	LEJ225DD00T	LE225MD00TX	LE225DD00TX	LEJ225DD00TX
LE225MC01T	LE225CC01T	LEJ225CC01T	LE225MC01TX	LE225CC01TX	LEJ225CC01TX	LE225MD01T	LE225DD01T	LEJ225DD01T	LE225MD01TX	LE225DD01TX	LEJ225DD01TX
LE225MC02T	LE225CC02T	LEJ225CC02T	LE225MC02TX	LE225CC02TX	LEJ225CC02TX	LE225MD02T	LE225DD02T	LEJ225DD02T	LE225MD02TX	LE225DD02TX	LEJ225DD02TX
LE225MC03T	LE225CC03T	LEJ225CC03T	LE225MC03TX	LE225CC03TX	LEJ225CC03TX	LE225MD03T	LE225DD03T	LEJ225DD03T	LE225MD03TX	LE225DD03TX	LEJ225DD03TX
LE225MC04T	LE225CC04T	LEJ225CC04T	LE225MC04TX	LE225CC04TX	LEJ225CC04TX	LE225MD04T	LE225DD04T	LEJ225DD04T	LE225MD04TX	LE225DD04TX	LEJ225DD04TX
LE225MC05T	LE225CC05T	LEJ225CC05T	LE225MC05TX	LE225CC05TX	LEJ225CC05TX	LE225MD05T	LE225DD05T	LEJ225DD05T	LE225MD05TX	LE225DD05TX	LEJ225DD05TX
LE225MC06T	LE225CC06T	LEJ225CC06T	LE225MC06TX	LE225CC06TX	LEJ225CC06TX	LE225MD06T	LE225DD06T	LEJ225DD06T	LE225MD06TX	LE225DD06TX	LEJ225DD06TX
LE225MC07T	LE225CC07T	LEJ225CC07T	LE225MC07TX	LE225CC07TX	LEJ225CC07TX	LE225MD07T	LE225DD07T	LEJ225DD07T	LE225MD07TX	LE225DD07TX	LEJ225DD07TX
LE225MC08T	LE225CC08T	LEJ225CC08T	LE225MC08TX	LE225CC08TX	LEJ225CC08TX	LE225MD08T	LE225DD08T	LEJ225DD08T	LE225MD08TX	LE225DD08TX	LEJ225DD08TX
LE225MC09T	LE225CC09T	LEJ225CC09T	LE225MC09TX	LE225CC09TX	LEJ225CC09TX	LE225MD09T	LE225DD09T	LEJ225DD09T	LE225MD09TX	LE225DD09TX	LEJ225DD09TX
LE225MC10T	LE225CC10T	LEJ225CC10T	LE225MC10TX	LE225CC10TX	LEJ225CC10TX	LE225MD10T	LE225DD10T	LEJ225DD10T	LE225MD10TX	LE225DD10TX	LEJ225DD10TX

NON-TEST POINT ELBOWS, 28 kV

Bulk packed			Individual cartons			Bulk packed			Individual cartons		
Old "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "A" range w/o test point (0.630"-0.820")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "B" range w/o test point (0.700"-0.910")	New "AB" range w/o test point (0.610"-0.970")	With jacket seal	Old "B" range w/o test point (0.700"-0.910")	New "AB" Range w/o Test Point (0.610"-0.970")	With jacket seal
LE228MA01	LE228AB00	LEJ228AB00	LE228MA00X	LE228AB00X	LEJ228AB00X	LE228MB00	LE228AB00	LEJ228AB00	LE228MB00X	LE228AB00X	LEJ228AB00X
LE228MA02	LE228AB01	LEJ228AB01	LE228MA01X	LE228AB01X	LEJ228AB01X	LE228MB01	LE228AB01	LEJ228AB01	LE228MB01X	LE228AB01X	LEJ228AB01X
LE228MA03	LE228AB02	LEJ228AB02	LE228MA02X	LE228AB02X	LEJ228AB02X	LE228MB02	LE228AB02	LEJ228AB02	LE228MB02X	LE228AB02X	LEJ228AB02X
LE228MA04	LE228AB03	LEJ228AB03	LE228MA03X	LE228AB03X	LEJ228AB03X	LE228MB03	LE228AB03	LEJ228AB03	LE228MB03X	LE228AB03X	LEJ228AB03X
LE228MA05	LE228AB04	LEJ228AB04	LE228MA04X	LE228AB04X	LEJ228AB04X	LE228MB04	LE228AB04	LEJ228AB04	LE228MB04X	LE228AB04X	LEJ228AB04X
LE228MA06	LE228AB05	LEJ228AB05	LE228MA05X	LE228AB05X	LEJ228AB05X	LE228MB05	LE228AB05	LEJ228AB05	LE228MB05X	LE228AB05X	LEJ228AB05X
LE228MA07	LE228AB06	LEJ228AB06	LE228MA06X	LE228AB06X	LEJ228AB06X	LE228MB06	LE228AB06	LEJ228AB06	LE228MB06X	LE228AB06X	LEJ228AB06X
LE228MA08	LE228AB07	LEJ228AB07	LE228MA07X	LE228AB07X	LEJ228AB07X	LE228MB07	LE228AB07	LEJ228AB07	LE228MB07X	LE228AB07X	LEJ228AB07X
LE228MA09	LE228AB08	LEJ228AB08	LE228MA08X	LE228AB08X	LEJ228AB08X	LE228MB08	LE228AB08	LEJ228AB08	LE228MB08X	LE228AB08X	LEJ228AB08X
LE228MA10	LE228AB09	LEJ228AB09	LE228MA09X	LE228AB09X	LEJ228AB09X	LE228MB09	LE228AB09	LEJ228AB09	LE228MB09X	LE228AB09X	LEJ228AB09X
LE228MA11	LE228AB10	LEJ228AB10	LE228MA10X	LE228AB10X	LEJ228AB10X	LE228MB10	LE228AB10	LEJ228AB10	LE228MB10X	LE228AB10X	LEJ228AB10X

Old "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	With jacket seal	Old "C" range w/o test point (0.830"-1.100")	New "CC" range w/o test point (0.750"-1.080")	With jacket seal	Old "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.920"-1.310")	With jacket seal	Old "D" range w/o test point (1.040"-1.310")	New "DD" range w/o test point (0.920"-1.310")	With jacket seal
LE228MC00	LE228CC00	LEJ228CC00	LE228MC00X	LE228CC00X	LEJ228CC00X	LE228MD00	LE228DD00	LEJ228DD00	LE228MD00X	LE228DD00X	LEJ228DD00X
LE228MC01	LE228CC01	LEJ228CC01	LE228MC01X	LE228CC01X	LEJ228CC01X	LE228MD01	LE228DD01	LEJ228DD01	LE228MD01X	LE228DD01X	LEJ228DD01X
LE228MC02	LE228CC02	LEJ228CC02	LE228MC02X	LE228CC02X	LEJ228CC02X	LE228MD02	LE228DD02	LEJ228DD02	LE228MD02X	LE228DD02X	LEJ228DD02X
LE228MC03	LE228CC03	LEJ228CC03	LE228MC03X	LE228CC03X	LEJ228CC03X	LE228MD03	LE228DD03	LEJ228DD03	LE228MD03X	LE228DD03X	LEJ228DD03X
LE228MC04	LE228CC04	LEJ228CC04	LE228MC04X	LE228CC04X	LEJ228CC04X	LE228MD04	LE228DD04	LEJ228DD04	LE228MD04X	LE228DD04X	LEJ228DD04X
LE228MC05	LE228CC05	LEJ228CC05	LE228MC05X	LE228CC05X	LEJ228CC05X	LE228MD05	LE228DD05	LEJ228DD05	LE228MD05X	LE228DD05X	LEJ228DD05X
LE228MC06	LE228CC06	LEJ228CC06	LE228MC06X	LE228CC06X	LEJ228CC06X	LE228MD06	LE228DD06	LEJ228DD06	LE228MD06X	LE228DD06X	LEJ228DD06X
LE228MC07	LE228CC07	LEJ228CC07	LE228MC07X	LE228CC07X	LEJ228CC07X	LE228MD07	LE228DD07	LEJ228DD07	LE228MD07X	LE228DD07X	LEJ228DD07X
LE228MC08	LE228CC08	LEJ228CC08	LE228MC08X	LE228CC08X	LEJ228CC08X	LE228MD08	LE228DD08	LEJ228DD08	LE228MD08X	LE228DD08X	LEJ228DD08X
LE228MC09	LE228CC09	LEJ228CC09	LE228MC09X	LE228CC09X	LEJ228CC09X	LE228MD09	LE228DD09	LEJ228DD09	LE228MD09X	LE228DD09X	LEJ228DD09X
LE228MC10	LE228CC10	LEJ228CC10	LE228MC10X	LE228CC10X	LEJ228CC10X	LE228MD10	LE228DD10	LEJ228DD10	LE228MD10X	LE228DD10X	LEJ228DD10X

TEST POINT ELBOWS, 28 kV

Bulk packed			Individual cartons			Bulk packed			Individual cartons		
Old "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "A" range with test point (0.630"-0.820")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")	With jacket seal	Old "B" range with test point (0.700"-0.910")	New "AB" range with test point (0.610"-0.970")	With jacket seal
LE228MA00T	LE228AB00T	LEJ228AB00T	LE228MA00TX	LE228AB00TX	LEJ228AB00TX	LE228MB00T	LE228AB00T	LE228AB00T	LE228MB00TX	LE228AB00TX	LEJ228AB00TX
LE228MA01T	LE228AB01T	LEJ228AB01T	LE228MA01TX	LE228AB01TX	LEJ228AB01TX	LE228MB01T	LE228AB01T	LE228AB01T	LE228MB01TX	LE228AB01TX	LEJ228AB01TX
LE228MA02T	LE228AB02T	LEJ228AB02T	LE228MA02TX	LE228AB02TX	LEJ228AB02TX	LE228MB02T	LE228AB02T	LE228AB02T	LE228MB02TX	LE228AB02TX	LEJ228AB02TX
LE228MA03T	LE228AB03T	LEJ228AB03T	LE228MA03TX	LE228AB03TX	LEJ228AB03TX	LE228MB03T	LE228AB03T	LE228AB03T	LE228MB03TX	LE228AB03TX	LEJ228AB03TX
LE228MA04T	LE228AB04T	LEJ228AB04T	LE228MA04TX	LE228AB04TX	LEJ228AB04TX	LE228MB04T	LE228AB04T	LE228AB04T	LE228MB04TX	LE228AB04TX	LEJ228AB04TX
LE228MA05T	LE228AB05T	LEJ228AB05T	LE228MA05TX	LE228AB05TX	LEJ228AB05TX	LE228MB05T	LE228AB05T	LE228AB05T	LE228MB05TX	LE228AB05TX	LEJ228AB05TX
LE228MA06T	LE228AB06T	LEJ228AB06T	LE228MA06TX	LE228AB06TX	LEJ228AB06TX	LE228MB06T	LE228AB06T	LE228AB06T	LE228MB06TX	LE228AB06TX	LEJ228AB06TX
LE228MA07T	LE228AB07T	LEJ228AB07T	LE228MA07TX	LE228AB07TX	LEJ228AB07TX	LE228MB07T	LE228AB07T	LE228AB07T	LE228MB07TX	LE228AB07TX	LEJ228AB07TX
LE228MA08T	LE228AB08T	LEJ228AB08T	LE228MA08TX	LE228AB08TX	LEJ228AB08TX	LE228MB08T	LE228AB08T	LE228AB08T	LE228MB08TX	LE228AB08TX	LEJ228AB08TX
LE228MA09T	LE228AB09T	LEJ228AB09T	LE228MA09TX	LE228AB09TX	LEJ228AB09TX	LE228MB09T	LE228AB09T	LE228AB09T	LE228MB09TX	LE228AB09TX	LEJ228AB09TX
LE228MA10T	LE228AB10T	LEJ228AB10T	LE228MA10TX	LE228AB10TX	LEJ228AB10TX	LE228MB10T	LE228AB10T	LE228AB10T	LE228MB10TX	LE228AB10TX	LEJ228AB10TX
LE228MA03TCSA	LE228AB03TCSA										
LE228MA06TCSA	LE228AB06TCSA										

Old "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	With jacket seal	Old "C" range with test point (0.830"-1.100")	New "CC" range with test point (0.750"-1.080")	With jacket seal	Old "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.920"-0.1.310")	With jacket seal	Old "D" range with test point (1.040"-1.310")	New "DD" range with test point (0.920"-0.1.310")	With jacket seal
LE228MC00T	LE228CC00T	LEJ228CC00T	LE228MC00TX	LE228CC00TX	LEJ228CC00TX	LE228MD00T	LE228DD00T	LEJ228DD00T	LE228MD00TX	LE228DD00TX	LEJ228DD00TX
LE228MC01T	LE228CC01T	LEJ228CC01T	LE228MC01TX	LE228CC01TX	LEJ228CC01TX	LE228MD01T	LE228DD01T	LEJ228DD01T	LE228MD01TX	LE228DD01TX	LEJ228DD01TX
LE228MC02T	LE228CC02T	LEJ228CC02T	LE228MC02TX	LE228CC02TX	LEJ228CC02TX	LE228MD02T	LE228DD02T	LEJ228DD02T	LE228MD02TX	LE228DD02TX	LEJ228DD02TX
LE228MC03T	LE228CC03T	LEJ228CC03T	LE228MC03TX	LE228CC03TX	LEJ228CC03TX	LE228MD03T	LE228DD03T	LEJ228DD03T	LE228MD03TX	LE228DD03TX	LEJ228DD03TX
LE228MC04T	LE228CC04T	LEJ228CC04T	LE228MC04TX	LE228CC04TX	LEJ228CC04TX	LE228MD04T	LE228DD04T	LEJ228DD04T	LE228MD04TX	LE228DD04TX	LEJ228DD04TX
LE228MC05T	LE228CC05T	LEJ228CC05T	LE228MC05TX	LE228CC05TX	LEJ228CC05TX	LE228MD05T	LE228DD05T	LEJ228DD05T	LE228MD05TX	LE228DD05TX	LEJ228DD05TX
LE228MC06T	LE228CC06T	LEJ228CC06T	LE228MC06TX	LE228CC06TX	LEJ228CC06TX	LE228MD06T	LE228DD06T	LEJ228DD06T	LE228MD06TX	LE228DD06TX	LEJ228DD06TX
LE228MC07T	LE228CC07T	LEJ228CC07T	LE228MC07TX	LE228CC07TX	LEJ228CC07TX	LE228MD07T	LE228DD07T	LEJ228DD07T	LE228MD07TX	LE228DD07TX	LEJ228DD07TX
LE228MC08T	LE228CC08T	LEJ228CC08T	LE228MC08TX	LE228CC08TX	LEJ228CC08TX	LE228MD08T	LE228DD08T	LEJ228DD08T	LE228MD08TX	LE228DD08TX	LEJ228DD08TX
LE228MC09T	LE228CC09T	LEJ228CC09T	LE228MC09TX	LE228CC09TX	LEJ228CC09TX	LE228MD09T	LE228DD09T	LEJ228DD09T	LE228MD09TX	LE228DD09TX	LEJ228DD09TX
LE228MC10T	LE228CC10T	LEJ228CC10T	LE228MC10TX	LE228CC10TX	LEJ228CC10TX	LE228MD10T	LE228DD10T	LEJ228DD10T	LE228MD10TX	LE228DD10TX	LEJ228DD10TX
LE228MC05TCSA	LE228CC05TCSA										
LE228MC06TCSA	LE228CC06TCSA										
LE228MC07TCSA	LE228CC07TCSA										

This page intentionally left blank.

This page intentionally left blank.

Eaton
1000 Eaton Boulevard
Cleveland, OH 44122
United States
Eaton.com

Eaton's Power Systems Division
2300 Badger Drive
Waukesha, WI 53188
United States
Eaton.com/cooperpowerseries

© 2017 Eaton
All Rights Reserved
Printed in USA
Publication No. TD650027EN

Eaton is a registered trademark.
All other trademarks are property
of their respective owners.

For Eaton's Cooper Power series product
information
call 1-877-277-4636 or visit:
www.eaton.com/cooperpowerseries.