




# Type RX, RV, W, WV, VW, VVV, time-current curves


## Contents


Description	Page
Ground trip – inverse time KA1219R/KA62WV accessory control resones time .....	2
Ground trip – inverse time KA1219R/KA62WV accessory recloser clearing time.....	3
Ground trip – inverse time KA1219R/KA62WV accessory control resones time .....	4
Ground trip – inverse time KA1219R/KA62WV accessory recloser clearing time.....	5
Ground trip – constant time KA1219R/KA62WV accessory recloser clearing time – all minimum trip levels .....	6
Ground trip – constant time KA1219R/KA62WV accessory recloser clearing time – all minimum trip levels .....	7
Ground trip – constant time KA1219R/KA62WV accessory recloser clearing time – all minimum trip levels .....	8
Ground trip – constant time KA1219R/KA62WV accessory recloser clearing time – all minimum trip levels .....	9
Control circuit arming time KA1219R/KA62WV accessory .....	10























Intentionally left blank

**Eaton**  
1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
[Eaton.com](http://Eaton.com)

**Eaton's Power Systems Division**  
2300 Badger Drive  
Waukesha, WI 53188  
United States  
[Eaton.com/cooperpowerseries](http://Eaton.com/cooperpowerseries)

© 2017 Eaton  
All Rights Reserved  
Printed in USA  
Publication No. TC280012EN  
October 2017

Eaton is a registered trademark.

All other trademarks are property  
of their respective owners.

For Eaton's Cooper Power series product  
information call 1-877-277-4636 or visit:  
[www.eaton.com/cooperpowerseries](http://www.eaton.com/cooperpowerseries).