



NOTES -

- 1/ USE 2 CABLES INTO 1 FERRULE WHERE SHOWN.
- 2/ ALL CABLES C/W IDENTS & TERMINATED VIA SUITABLE FERRULES.
- 3/ OPTIONAL EOL RESISTORS IF FITTED - - - - - (REFER TO PARTS LIST FOR VALUE).

**WARNING**  
 THIS DRAWING RELATES TO A CERTIFIED PRODUCT.  
 NO MODIFICATIONS PERMITTED WITHOUT THE AUTHORISATION OF THE TECHNICAL MANAGER

**CURRENT PRODUCTION COPY**

	MEDC Ltd, Colliery Road, Pinxton, Nottingham NG16 6JF, U.K. Tel: +44 (0)1773 864100 fax: +44 (0)1773 582800 e-mail: info@medc.com web: www.medc.com	DESIGNERS & MANUFACTURERS OF ELECTRICAL & ELECTRONIC EQUIPMENT & SYSTEMS FOR HAZARDOUS AREAS
--	---	--

DRAWN BY: S. OATES	DATE: 26-09-05	TITLE O/ALL WIRING DIAGRAM DB12 (SINGLE TONE) /XB13	SHT. 1 OF. 1
CHECKED BY: J. WHITE	DATE: 26-09-05		
APPROVED BY: B. TAYLOR	DATE: 26-09-05	DRG No. 270-138	ISSUE B
SCALE:	SIZE A2		

ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED

REMOVE ALL BURRS AND SHARP EDGES

MACHINE SYMBOLS THUS μm

THIS DRAWING IS CONFIDENTIAL AND IS THE PROPERTY OF MEDC AND MUST NOT BE REPRODUCED EITHER WHOLLY OR PARTLY. ALL RIGHTS IN RESPECT OF PATENTS, DESIGNS AND COPYRIGHT ARE RESERVED.

ISSUES  
 B .27-07-10 .DW