

Certificate of Constancy of Performance

Intertek

0359-CPR-00242

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

Product(s): **Addressable Input/Output Units**
(refer to attached appendix for details and conditions)

placed on the market under the name or trade mark of: **Eaton Electrical Systems Ltd**
Wheatley Hall Road, Doncaster, DN2 4NB, United Kingdom

and produced in the manufacturing plant(s): **S.C. Cooper Industries Romania R.R.L (SCCOOPRO.01)**
Industrial Zone West, Street III, No 12, Arad, Romania

Digital Lighting (Dongguan) Co. Ltd (DIGLIGCN.01)
Xin Min Road, Xin Min District, Changan Town, 523879, Dongguan City, Guangdong Province, China

Eaton Electrical Products Limited (CPRCOOUK.01)
Llantarnam Park, Cwmbran, NP44 3AW, South Wales

Intended use: **Fire Safety**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s):

EN54-17:2005+AC:2007

EN54-18:2005+AC:2007


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **15 May 2014** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body
0359

Intertek Testing & Certification Limited
Cleeve Road, Leatherhead
Surrey, KT22 7SB
Tel: + 44 (0)1372 370900
Fax: +44 (0)1372 370977
E-mail: cpd.uk@intertek.com

Nick Jones
Certification Officer



Date 13th August 2018
Issue 4

www.intertek.com

Registered No 3272281 Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ, United Kingdom

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Appendix to Certificate of Constancy of Performance 0359-CPR-00242

The details and condition of use for the Addressable Input/Output Units placed on the market by:

Eaton Electrical Systems Ltd

Wheatley Hall Road, Doncaster, DN2 4NB, United Kingdom

To be used in accordance with the supplier's installation instructions and in conjunction with the following bases, ancillaries, sounder tones and sensitivity settings (*where applicable*):

Products compliant with EN54-17:2005+AC:2007 and EN54-18:2005+AC:2007:

| Part Number | Manufacturing Location | Description |
|-------------|------------------------|---|
| CMIO353 | COOPLSUK.01 | Addressable Mains Rated Relay Unit with Short-circuit Isolator |
| COPMIO | SCCOOPRO.01 | Addressable Mains Rated Relay Unit with Short-circuit Isolator (Open Protocol) |
| CIOP8 | CPRCOOUK.01 | Addressable Mimic Relay Board with Short-circuit Isolator (4 Input and 8 Relay Outputs) |
| CIOP4 | CPRCOOUK.01 | Addressable Mimic Relay Board with Short-circuit Isolator (4 Input and 4 Relay Outputs) |
| MCIM | DIGLIGCN.01 | Addressable Micro Single Channel Input Unit with Short-circuit Isolator |
| CIU872 | DIGLIGCN.01 | Addressable Micro Zone Monitor Unit with Short-circuit Isolator |
| MCOM | DIGLIGCN.01 | Addressable Micro Single Channel Output Unit with Short-circuit Isolator |
| MCOM-R | DIGLIGCN.01 | Addressable Micro Single Channel Output Unit with Short-circuit Isolator (5 Second Reset Pulse) |
| MCOM-S | DIGLIGCN.01 | Addressable Micro Single Channel Output Unit with Short-circuit Isolator (Sounder ID, Resets on Reset Only) |
| CGI420 | SCCOOPRO.01 | Addressable 4-20mA Interface Unit with Short-circuit Isolator |
| CGI420R | SCCOOPRO.01 | Addressable 4-20mA Interface Unit with Relay and Short-circuit Isolator |
| CIT420 | SCCOOPRO.01 | Addressable 4-20mA Interface Unit with Short-circuit Isolator (Italian Language Variant of the CGI420) |
| CIT420R | SCCOOPRO.01 | Addressable 4-20mA Interface Unit with Relay and Short-circuit Isolator (Italian Language Variant of the CGI420R) |

Intertek Testing & Certification Limited, Cleeve Road, Leatherhead, Surrey, KT22 7SB
Tel: + 44 (0)1372 370900, Fax: +44 (0)1372 370977, E-mail: cpd.uk@intertek.com

0359-CPR-00242
Issue 4

www.intertek.com

Registered No 3272281 Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ, United Kingdom

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Appendix to Certificate of Constancy of Performance 0359-CPR-00242 (continued)

Branded Variants

| Original Part Number | Alternative Part Number | Branded As | Description |
|----------------------|-------------------------|------------|---|
| CMIO353 | MIO1240 | Menvier | Addressable Mains Rated Relay Unit with Short-circuit Isolator |
| CMIO353 | FXN511 | JSB | Addressable Mains Rated Relay Unit with Short-circuit Isolator |
| CIOP8 | MIOP8 | Menvier | Addressable Mimic Relay Board with Short-circuit Isolator (4 Input and 8 Relay Outputs) |
| CIOP8 | FXIOP8 | JSB | Addressable Mimic Relay Board with Short-circuit Isolator (4 Input and 8 Relay Outputs) |
| CIOP4 | MIOP4 | Menvier | Addressable Mimic Relay Board with Short-circuit Isolator (4 Input and 4 Relay Outputs) |
| CIOP4 | FXIOP4 | JSB | Addressable Mimic Relay Board with Short-circuit Isolator (4 Input and 4 Relay Outputs) |
| MCIM | MMIM | Menvier | Addressable Micro Single Channel Input Unit with Short-circuit Isolator |
| MCIM | MJIM | JSB | Addressable Micro Single Channel Input Unit with Short-circuit Isolator |
| CIU872 | MIU872 | Menvier | Addressable Micro Zone Monitor Unit with Short-circuit Isolator |
| CIU872 | JIU872 | JSB | Addressable Micro Zone Monitor Unit with Short-circuit Isolator |
| MCOM | MMOM | Menvier | Addressable Micro Single Channel Output Unit with Short-circuit Isolator |
| MCOM | MJOM | JSB | Addressable Micro Single Channel Output Unit with Short-circuit Isolator |
| MCOM-R | MMOM-R | Menvier | Addressable Micro Single Channel Output Unit with Short-circuit Isolator (5 Second Reset Pulse) |
| MCOM-R | MJOM-R | JSB | Addressable Micro Single Channel Output Unit with Short-circuit Isolator (5 Second Reset Pulse) |
| MCOM-S | MMOM-S | Menvier | Addressable Micro Single Channel Output Unit with Short-circuit Isolator (Sounder ID, Resets on Reset Only) |
| MCOM-S | MJOM-S | JSB | Addressable Micro Single Channel Output Unit with Short-circuit Isolator (Sounder ID, Resets on Reset Only) |
| CGI420 | MGI420 | Menvier | Addressable 4-20mA Interface Unit with Short-circuit Isolator |
| CGI420 | FXGI420 | JSB | Addressable 4-20mA Interface Unit with Short-circuit Isolator |
| CGI420R | MGI420R | Menvier | Addressable 4-20mA Interface Unit with Relay and Short-circuit Isolator |
| CGI420R | FXGI420R | JSB | Addressable 4-20mA Interface Unit with Relay and Short-circuit Isolator |
| CIT420 | MIT420 | Menvier | Addressable 4-20mA Interface Unit with Short-circuit Isolator (Italian Language Variant of the CGI420) |
| CIT420 | FXIT420 | JSB | Addressable 4-20mA Interface Unit with Short-circuit Isolator (Italian Language Variant of the CGI420) |

Intertek Testing & Certification Limited, Cleeve Road, Leatherhead, Surrey, KT22 7SB
 Tel: + 44 (0)1372 370900, Fax: +44 (0)1372 370977, E-mail: cpd.uk@intertek.com

0359-CPR-00242
 Issue 4

www.intertek.com

Registered No 3272281 Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ, United Kingdom

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Certificate of Constancy of Performance



0359-CPR-00242

| Original Part Number | Alternative Part Number | Branded As | Description |
|----------------------|-------------------------|------------|---|
| CIT420R | MIT420R | Menvier | Addressable 4-20mA Interface Unit with Relay and Short-circuit Isolator (Italian Language Variant of the CGI420R) |
| CIT420R | FXIT420R | JSB | Addressable 4-20mA Interface Unit with Relay and Short-circuit Isolator (Italian Language Variant of the CGI420R) |

Conditions of use:

Suitable for indoor applications

General Notes:

1. Evaluated under Intertek project number 101344214 and 102891183.
2. No CE or other type approval is made or inferred outside of the attestation of conformity and the product performance as stipulated on this certificate.

Intertek Testing & Certification Limited, Cleeve Road, Leatherhead, Surrey, KT22 7SB
Tel: + 44 (0)1372 370900, Fax: +44 (0)1372 370977, E-mail: cpd.uk@intertek.com

0359-CPR-00242
Issue 4

www.intertek.com

Registered No 3272281 Academy Place, 1-9 Brook Street, Brentwood, Essex,
CM14 5NQ, United Kingdom

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.