

## Certificate of Product Approval

Certificate Number: 378q-(cl-3)

Issue: 01

### Eaton Electrical Products Ltd

Llantarnam Park,  
Cwmbran,  
NP44 3AW,  
United Kingdom



is certified by BRE Global Ltd. and is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirement(s) of the standards as detailed below:

#### Products

##### Control and Indicating equipment

JXD01020

JXD01040

(refer to Appendix for details)

#### Standards

EN 54-2:1997 + A1:2006

EN 54-4:1997 + A1:2002 + A2:2006

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

Signed for BRE Global Ltd

E.Mattie-Suleiman

Verifier

26 October 2021

Date of Issue

26 October 2021

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 378q-(cl-3)

Issue: 01

### Eaton Electrical Products Ltd

Certified Product	Description	LPCB Ref.No.
JXD01020	JSB 1-2 Loop Analogue Addressable Control and Indicating Equipment	378q/01
	Incorporating the following modules:	
	EFXD05001 xDetect Loop Card 1 Loop Protocol 800 (x2 Cards)	
	EFXD05082 xDetect CIE Backplane Small Enclosure	
	EFXD05053 xDetect CIE Int. Single PSE backplane	
	EFXD05080 xDetect CIE Panel Gateway Card	
	EFXD05030 xDetect Programmable IO Card	
	EFXD05020 xDetect Sounder Circuit Card 2 Outputs	
	36-A780 xDetect HMI	
	26-A470 xDetect HMI Screen Module	
	EFXD05051 xDetect CIE Int. Power Supply 150W	
	Incorporating the following optional modules:	
	EFXD05040 xDetect Network Card	
	Mechanical optional modules:	
	EFXD05091 xDetect CIE Door Small HMI Only	
	Certified with the following options with requirements from EN 54-2:	
	7.8 Output to fire alarm device(s)	
	7.9.1 Output to fire alarm routing equipment	
	7.9.2 Alarm confirmation input from fire alarm routing equipment	
	7.10.1 Outputs to fire protection equipment - Output type A	
	7.10.2 Outputs to fire protection equipment - Output type B	
	7.10.3 Outputs to fire protection equipment - Output type C	

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

E.Mattie-Suleiman

Verifier

26 October 2021

Date of Issue

26 October 2021

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.




## Appendix to Certificate No: 378q-(cl-3)

Issue: 01

### Eaton Electrical Products Ltd

Certified Product	Description	LPCB Ref.No.
	7.11 Delays to outputs 7.12.3 Dependencies on more than one alarm signal - Type C 7.13 Alarm Counter 8.3 Fault signals from points 8.4 Total loss of the power supply 8.9 Output to fault warning routing equipment 9.5 Disablement of each address point 10 Test condition  Notes: 1. Scope of approval does not include the operation of the network functionality 2. This product approval does not constitute compliance with the fire detection and alarm system requirements of EN54-13.	
JXD01040	JSB 1-4 Loop Analogue Addressable Control and Indicating Equipment  Incorporating the following modules: EFXD05001 xDetect Loop Card 1 Loop Protocol 800 (x4 Cards) EFXD05081 xDetect CIE Backplane Large Enclosure EFXD05052 xDetect CIE Int. Dual PSE backplane EFXD05080 xDetect CIE Panel Gateway Card EFXD05030 xDetect Programmable IO Card EFXD05020 xDetect Sounder Circuit Card 2 Outputs 36-A780 xDetect HMI 26-A470 xDetect HMI Screen Module EFXD05051 xDetect CIE Int. Power Supply 150W	378q/02

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

  
Signed for BRE Global Ltd

E.Mattie-Suleiman  
Verifier

26 October 2021  
Date of Issue

26 October 2021  
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 378q-(cl-3)

Issue: 01

### Eaton Electrical Products Ltd

Certified Product	Description	LPCB Ref.No.
	<p>Incorporating the following optional modules:                      EFXD05040                      xDetect Network Card</p> <p>Mechanical optional modules:                      EFXD05092                      xDetect CIE Door Large HMI Only</p> <p>Certified with the following options with requirements from EN 54-2:</p> <ul style="list-style-type: none"> <li>7.8        Output to fire alarm device(s)</li> <li>7.9.1     Output to fire alarm routing equipment</li> <li>7.9.2     Alarm confirmation input from fire alarm routing equipment</li> <li>7.10.1    Outputs to fire protection equipment - Output type A</li> <li>7.10.2    Outputs to fire protection equipment - Output type B</li> <li>7.10.3    Outputs to fire protection equipment - Output type C</li> <li>7.11       Delays to outputs</li> <li>7.12.3    Dependencies on more than one alarm signal - Type C</li> <li>7.13       Alarm Counter</li> <li>8.3        Fault signals from points</li> <li>8.4        Total loss of the power supply</li> <li>8.9        Output to fault warning routing equipment</li> <li>9.5        Disablement of each address point</li> <li>10         Test condition</li> </ul> <p>Notes:</p> <ol style="list-style-type: none"> <li>1. Scope of approval does not include the operation of the network functionality</li> <li>2. This product approval does not constitute compliance with the fire detection and alarm system requirements of EN54-13.</li> </ol>	

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

  
Signed for BRE Global Ltd

E.Mattie-Suleiman  
Verifier

26 October 2021  
Date of Issue

26 October 2021  
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

