

SQG3-VID sounder beacon



The SQG3 visual indicator device (VID) is a combined audible and visual indicator base unit. The mounting surface is suitable for the majority of European detectors.

Certified to EN54-3 and suitable as a visual indicating device, it ensures compliance to the latest European Legislation and provides a versatile notification and detection solution.

Features

- Certified to EN 54-3
- First fix base
- Fixing platform for most popular detectors
- Tamper-proof cap for standalone use (supplied separately)
- Red flash visual indicator


Benefits

- Suitable for use in fire systems throughout Europe
- Quick, simple installation
- Notification and detection in one unit saves on installation costs

Technical specification

| | |
|----------------|-----------------------------|
| Voltage | 18 - 35Vdc |
| Current | 8.7 - 11mA |
| Sound Output | High Volume - 90 +/- 3dB(A) |
| Tones | 3 |
| Volume Control | 10dB |
| Flash Rate | 0.5Hz |
| Monitoring | Reverse polarity |
| Temperature | - 10°C to + 55°C |
| Protection | IP21C |
| Construction | ABS, PC lens |
| Weight | 0.175kg |
| Colours | White |
| Flash Colour | Red |

Dimensions



Catalogue numbers

| Reference | Cat no. | Description |
|----------------|------------------|---|
| SQG3-23/W1/WF | 666140FULL-1079X | SQG3-23 base sounder VAD, white body, white flash |
| SQG3-VID/W1/RF | 666156FULL-1101X | SQG3 base sounder VID, white body, red flash |



Powering Business Worldwide

Eaton
EMEA Headquarters
Route de la Longeraie 7
1110 Morges, Switzerland
Eaton.eu

© 2018 Eaton
All Rights Reserved
Publication No TD-EN-450-052018 / CSSC-1248
May 2018

Eaton is a registered trademark.

All other trademarks are property of their respective owners.