


Shut-Off or Deceleration Valves

Series C-700



Model Number	Pipe Size	A Valve	B Body S/A	C Check Valve	D Spring	E Spacer	F Gasket	G Cover	H Screw	J Retainer	K Oil Seal	L Spring	M Roller	N Shaft	P Spring	R Washer	S Screw																
C-711	½"	895-X	24034	118-X	946-X	234-X	893-X	892-X	1052 (6 req'd)	2228-X	2262	228-X	2817	2818			2227-X (6 req'd)																
C-711-A		1236-X	24034	118-X	946-X	234-X	893-X	892-X																									
C-711-T		10401	24034	118-X	946-X	234-X	893-X	892-X																									
C-711-A-T		35348	24034	118-X	946-X	234-X	893-X	892-X																									
C-713		895-X	24036	118-X	946-X	234-X	15167	1836-X																									
C-713-A		1236-X	24036	118-X	946-X	234-X	15167	1836-X																									
C-713-T		10401	24036	118-X	946-X	234-X	15167	1836-X																									
C-741		895-X	24411				893-X	892-X																									
C-741-A		1236-X	24411				893-X	892-X																									
C-741-T		10401	24411				893-X	892-X																									
C-743		895-X	24414				15167	1836-X																									
C-743-A		1236-X	24414				15167	1836-X																									
C-712	¾"	895-X	24035	118-X	946-X	234-X	893-X	892-X	1052 (6 req'd)	2228-X	2262	228-X	2817	2818			2227-X (6 req'd)																
C-712-A		1236-X	24035	118-X	946-X	234-X	893-X	892-X																									
C-712-T		10401	24035	118-X	946-X	234-X	893-X	892-X																									
C-714		895-X	23994	118-X	946-X	234-X	15167	1836-X																									
C-714-A		1236-X	23994	118-X	946-X	234-X	15167	1836-X																									
C-714-T		10401	23994	118-X	946-X	234-X	15167	1836-X																									
C-742		895-X	24413				893-X	892-X																									
C-742-A		1236-X	24413				893-X	892-X																									
C-742-T		10401	24413				893-X	892-X																									
C-744		895-X	24415				15167	1836-X																									
C-744-A		1236-X	24415				15167	1836-X																									
C-744-T		10401	24415				15167	1836-X																									
C-721	1"	5397	24416	6422	2990		6425	6424	1071 (6 req'd)	5401	43577	228-X	2817	2818			2227-X (6 req'd)																
C-721-A		5430	24416	6422	2990																												
C-721-T		24109	24416	6422	2990																												
C-722		5397	24417																														
C-722-A		5430	24417				6425	20286	1073 (6 req'd)									5401	43577	228-X	2817	2818			2227-X (6 req'd)								
C-722-T		24109	24417																														
C-723		5397	24418	6422	2990																												
C-723-A		5430	24418	6422	2990																												
C-723-T		24109	24418	6422	2990		6425	20286	1073 (6 req'd)																	5401	43577	228-X	2817	2818			2227-X (6 req'd)
C-724		5397	24419																														
C-724-A		5430	24419																														
C-715		5397	24420	2587	2284																												
C-715-A	5430	24420	2587	2284		5400	5425	1072 (6 req'd)	5401	43577	228-X	2817	2818			2227-X (6 req'd)																	
C-715-T	24109	24420	2587	2284																													
C-716	5397	24421																															
C-716-A	5430	24421																															
C-716-T	24109	24421				5400	19906	1073 (6 req'd)									19885	43577	228-X	2817	2818			2227-X (6 req'd)									
C-716-A-T	55814	24421																															
C2-717	5397	24422	2587	2284																													
C2-717-A	5430	24422	2587	2284																													
C2-718	5397	24423				5400	19906	1073 (6 req'd)																	19885	43577	228-X	2817	2818			2227-X (6 req'd)	
C2-718-A	5430	24423																															
C2-718-T	24109	24423																															
C-760	809-X	24424	816-X	817-X																													
C-760-A	5936	24424	816-X	817-X		808-X	805-X	1071 (11 req'd)	2266	814-X	810-X	811-X	815-X	813-X	2227-X (8 req'd)																		
C-760-T	55399	24424	816-X	817-X																													
C-761	809-X	24425																															
C-761-A	5936	24425																															
C-761-T	55399	24425																															
C2-762	809-X	24426	816-X	817-X																													
C2-762-A	5936	24426	816-X	817-X																													
C2-763	809-X	24427						20065								805-X	1073 (11 req'd)	20064	814-X	810-X	811-X	815-X	813-X	2227-X (8 req'd)									
C2-763-A	5936	24427																															

For satisfactory service life of these components, use full flow filtration to provide fluid which meets ISO cleanliness code 20/18/15 or cleaner. Selections from Eaton OFF, OFR and OFRS filter series are recommended.

Printed in U.S.A.

Eaton Hydraulics

15151 Highway 5
Eden Prairie, MN 55344
Telephone: 612 937-7254
Fax: 612 937-7130
www.eatonhydraulics.com

46 New Lane, Havant
Hampshire PO9 2NB
England
Telephone: (44) 170-548-6451
Fax: (44) 170-548-7110

