PREMERA mix

specification guide



PREMERA mix is a modular interface grid system combining the benefits of a traditional grid range, a voice and data range, power sockets, broad switches and intelligent RF switch modules.

Offering up to 24 module size plates with endless combinations, PREMERA mix also includes radio frequency switching capabilities as part of Eaton's xComfort range enabling one product platform to fit all.



Premera Wiring Accessories



Eaton's comprehensive range of wiring accessories and single phase distribution solutions have been developed to meet today's challenging electrical applications in residential and light commercial projects and applications. Through a proven competency in electrical distribution, Eaton delivers an innovative and flexible approach to aid compliance with the regulatory requirements associated with modern buildings.



Premera White Moulded

The PREMERA White Moulded range offers a modern aesthetically edged styled appearance whilst utilising the well established UREA material with its inherent MRSA germ protection properties.

Each product is supplied with an optional screw cap facility to hide unsightly screws.

Essential supply products are offered enabling circuits to be highlighted effectively with unmistakable red rockers and fuse drawers without compromising their suiting with other standard accessories. Grey covers are offered to provide solutions to the latest Building Regulations.



COPA 'Clip on'

COPA is Eaton's flexible 'Clip On' Plate Accessory range designed with innovative, slim and stylish 'clip-on' face plates that conceal the screw fixing holes to give a superior elegance to the finish of the product. The decorative face plates are available in a selection of styles available in both high quality decorative plastic and luxury metal finishes.



COPA fix

The COPA style of plate has been extended to offer an alternative to the 'clip-on' plate by offering the same plate profile with it's stylish good looks but with a fixed plate, rather than just a 'clip-on' option.

COPA fix offers a solution in situations where it is more desirable to have screw fixed plates in applications such as schools and public places.





xComfort

Suitable for residential and commercial applications, Eaton's Moeller xComfort range of building automation products has been specifically designed to provide centralised control of all the electrical equipment in order to maximise energy savings, comfort, safety and security.

PREMERA mix modular range

White or grey cover plate option to enable compliance with DDA/Part M requirements

Quick, easy front loading modules —simply push and 'click'in

Optional screw cap covers to add the finishing touches

Plate options from 1 gang to 24 gang, in either 'screw fixed' version or 'clip on' version



Laser marking of legends for longevity and high quality lettering



Large stylish rockers for easy operation

Broad rocker option to meet latest DDA/Building regulations




Quick, easy removal of modules via clip release

1–4 gang mounting plates come complete with integral earth strap avoiding the need to order separate grid

Large terminals for good wiring access

Bottom terminals angled in slightly to aid access to screws from the top



Module plates up to 12 gang in urea material and 24 gang in COPA 'clip-on' or 'screw fix' versions

Top facing terminals for easy access and quicker installation

High quality thermoplastic material on bases

Wiring diagram shown on each module

Totally modular system incorporating;

- Power switches, standard & broad rocker options
- Power sockets in various worldwide styles
- Power indicators, fuses units, cable outlets
- Dimmer modules
- Communication modules including RJ45 Cat 6, isolated co-axial/ satellite outlets, standard telephone outlets, including RJ11
- xComfort radio frequency switch modules
- 6–24 gang mounting plates comes with all the frames/ mounts/screws required – just order the modules you need
- 6–24 gang mounting plates have individual removable banks for ease of installation and future changes. Banks removed via quarter turn fasteners offering quick release/fitting





PREMERA mix combinations

Various socket options to offer a wide choice of worldwide applications;

- Standard 13A sockets BS1363
- Non standard 13A
- 5 and 15 Amp round pin
- US standard 15A 3 pin sockets
- European Schuko sockets
- Key switched socket with power indicator
- Unique key switch with integral neon indicator





Eaton's Electrical Sector is a global leader in power distribution, power quality, control and automation, and monitoring products. When combined with Eaton's fullscale engineering services, these products provide customer-driven PowerChain $Management \ ^{\scriptscriptstyle{\mathsf{TM}}} \ solutions$ to serve the power system needs of the data center, industrial, institutional, public sector, utility, commercial, residential, IT, mission critical, alternative energy and OEM markets worldwide.

PowerChain solutions help enterprises achieve sustainable and competitive advantages through proactive management of the power system as a strategic, integrated asset throughout its life cycle, resulting in enhanced safety, greater reliability and energy efficiency. For more information, visit www.eaton.com/electrical.

Eaton Electric Limited


Grimshaw Lane
Middleton
Manchester M24 1GQ
United Kingdom
Customer Support Centre
Tel: +44 (0)8700 545 333
Fax: +44 (0)8700 540 333
email: ukcommorders@eaton.com

© 2013 Eaton Corporation All Rights Reserved Printed in UK Form No. PA081001EN January 2013



PREMERA mix

specification guide



Notes: Items supplied complete with all the mounting frames unless stated. *Covers only – need to order interior – white or black (eg C901 or C901B).

¹⁾Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code	
White	WH	CP904WH	
Metallic silver	SV	CP904SV	
Gold metallic	GL	CP904GL	
Black matt	ВМ	CP904BM	
Blue metallic	BL	CP904BL	
Grey	GY	CP904GY	

²⁾Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel	SS	CM904SS
Highly polished	НР	CM904HP
Satin bronze	SB	CM904SB
Polished brass	PB	CM904PB

	Description	Eaton list number White module	Black module	Red rocker
	10A 1 way	F9000	_	_
10A switches F9004	10A 2 way	F9001	F9001B	F9001RR
	10A 2 way push to make	F9004	F9004B	-
10000				
	20A 1 way	F9020	F9020B	F9020RR
20A switches F9021RR	20A 2 way	F9021	F9021B	F9021RR
	20A intermediate switch	F9022	F9022B	_
	20A double pole	F9023	F9023B	F9023RR
20A double pole switches	20A double pole push to break	F9029	_	F9029RR
F9023	20A double pole push to make	F9030	F9030B	F9030RR
	20A 2 way centre off	F9024	F9024B	F9024RR
12	20A 2 way centre off bias	F9033	F9033B	F9033RR
	20A double pole marked 'boiler'	F9023B0	F9023BB0	_
20A double pole switches	20A double pole marked 'cooker hood'	F9023CH	F9023BCH	_
– legends	20A double pole marked 'dishwasher'	F9023DW	F9023BDW	_
F9023WM	20A double pole marked 'extract fan'	F9023EF	F9023BEF	_
	20A double pole marked 'fridge freezer'	F9023FF	F9023BFF	_
11.11	20A double pole marked 'fridge'	F9023FG	F9023BFG	_
	20A double pole marked 'freezer'	F9023FZ	F9023BFZ	_
	20A double pole marked 'hob'	F9023HB	F9023BHB	_
	20A double pole marked 'hob hood'	F9023HH	F9023BHH	_
	20A double pole marked 'light '	F9023LI	F9023BLI	_
	20A double pole marked 'microwave'	F9023MW	F9023BMW	_
	20A double pole marked 'oven'	F90230V	F9023BOV	_
	20A double pole marked 'plinth heater'	F9023PH	F9023BPH	_
	20A double pole marked 'plinth heater' 20A double pole marked 'pilot light'	F9023PH F9023PL	F9023BPH F9023BPL	
	20A double pole marked 'pilot light'	F9023PL	F9023BPL	-
	20A double pole marked 'pilot light' 20A double pole marked 'tumble dryer'	F9023PL F9023TD	F9023BPL F9023BTD	-
	20A double pole marked 'pilot light' 20A double pole marked 'tumble dryer' 20A double pole marked 'towel rail'	F9023PL F9023TD F9023TR	F9023BPL F9023BTD F9023BTR	- - -
	20A double pole marked 'pilot light' 20A double pole marked 'tumble dryer' 20A double pole marked 'towel rail' 20A double pole marked 'washer dryer'	F9023PL F9023TD F9023TR F9023WDR	F9023BPL F9023BTD F9023BTR F9023BWDR	



	Description	Eaton list numbe	r	
20A daubla	20A double pole + neon marked 'boiler'	White module	Black module	Red rocker
0A double ole switches vith neon	20A double pole + neon marked 'cooker hood'	F9025CH	_	_
1025	20A double pole + neon marked 'dishwasher'	F9025DW	_	-
	20A double pole + neon marked 'extract fan' 20A double pole + neon marked 'fridge freezer'	F9025EF F9025FF	_	_
	20A double pole + neon marked 'fridge'	F9025FG	-	-
	20A double pole + neon marked 'hob'	F9025HB	_	_
0A double pole witches with	20A double pole + neon marked 'heater' 20A double pole + neon marked 'microwave'	F9025HE F9025MW	_	
eon – legends 025HE	20A double pole + neon marked 'plinth heater'	F9025PH	-	_
NO.	20A double pole + neon marked 'tumble dryer'	F9025TD	_	-
H. H.	20A double pole + neon marked 'washer dryer' 20A double pole + neon marked 'water heater'	F9025WDR F9025WH	-	-
	20A double pole + neon marked 'wachine machine'	F9025WM	_	_
6A twin	16A 1 way twin switch module	F9032	-	_
witches 1032	10A 2 way	F9001	F9001B	F9001RR
	10A 2 way push to make	F9004	F9004B	
0A broad	10A 2 way broad rocker	F9201	F9201B	_
ocker switches 0201B	10A 2 way broad rocker push to make	F9204	F9204B	_
0A broad ocker switches	20A 2 way broad rocker	F9221	F9221B	-
225	20A intermediate broad rocker switch 20A double pole broad rocker	F9222 F9223	F9222B F9223B	
	20A double pole broad rocker indicator	F9225	F9225B	_
	20A 2 way centre off broad rocker	F9224	F9224B	_
	20A 2 way centre off bias broad rocker	F9233	F9233B	
0A key	20A key switch 2 way	F9026	F9026B	-
witches 027RR	20A key switch 2 way printed with	Engage	FORCES	
	'emergency lighting test charge' 20A key switch double pole	F9026EL F9027	F9026BEL F9027B	- F9027RR
	20A key switch double pole printed with			
	'emergency lighting test charge' 20A key switch double pole with indicator	F9027EL F9027N	F9027BEL F9027NB	
	20A key switch 2 way centre off bias	F9028	F9027NB	
	20A key switch intermediate	F9031	F9031B	_
ncillary items	Red neon 230V	F9061	F9061B	_
063	Red filament lamp 24V	F9061/24V	-	-
	Amber neon 230V	F9062	_	
	Amber neon 24V Green neon 230V	F9062/24V F9063	-	_
0072	Green neon 24V	F9063/24V		
10/2	13A fuse module ¹⁾	F9072	F9072B	F9072RR
	Cable outlet ²⁾ Buzzer	F9073	F9073B	
	Replacement key	F9099	_	_
	Blank ²⁾	F9060	F9060B	_
	¹⁾ To BS1363 Part 2 ²⁾ To BS5733			
immer modules	250W dimmer universal push on/off 2 way ¹⁾	F9064	F9064B	
9064	400W dimmer universal push on/off 2 way ¹⁾	F9065	F9065B	
	500W dimmer (50mm x 50mm) push on/off 2 way ¹⁾ 1000W dimmer non-european (50mm x 50mm)	F9066	F9066B	
	push on/off 2 way	F9077	F9077B	
	1–10V dimmer push on/off 1 way ¹⁾	F9078	F9078B	
	60–500W fan controller – non-euro rotary 1 way 1) To BSEN60991-2-1	F9079	F9079B	
		_		
ocket modules 313	5A 3 pin shuttered socket ¹⁾ 13A 3 pin socket module 2 earth terminals ²⁾	F9306 F9313	F9306B F9313B	
	13A 3 pin non standard socket 2 earth terminals	F9314	F9314B	
	15A 3 pin shuttered socket ¹⁾	F9315	F9315B	
	16A Schuko socket ³⁾ 15A 3 pin 127v SASO socket ⁴⁾	F9317 F9318	F9317B F9318B	
	¹⁾ To BS546 ²⁾ To BS1363 Part 2 ³⁾ To IEC60884-1 ⁴⁾ To SA		1 33100	
	Cingle IFO	FORTOC	FORCE	
ommunication nodules	Single IEC co-axial (female) screened Single IEC co-axial (male) screened	F3780 F3781	F3780B F3781B	
3784	Single satellite (female) connection screened	F3782	F3782B	
	TV/radio/satellite/return module screened	F3783	F3783B	
1	Telephone (BT secondary) Telephone (BT master)	F3784 F3785	F3784B F3785B	
	RJ11 outlet	F3786	F3786B	
	RJ45 CAT 6	F3787	F3787B	
	2 x RCA socket 2 x loudspeaker socket	F3788 F3789	F3788B F3789B	
	1G module blank ¹⁾	F3790	F3790B	
	¹⁾ To BS5733			
remera	xComfort RF module surface mounting plate			
Comfort RF witch modules	(will accept any CP902 type of plate – not supplied)	F9400		
401	xComfort 1G RF switch module xComfort 2G RF switch module	F9401 F9402		
	xComfort 4G RF switch module	F9404		
		CSAU-01/01		
	xComfort 8A SP switching actuator	00/10 01/01		
Comfort actuators: examples	xComfort 8A SP switching actuator xComfort 250W dimming actuator	CDAU-01/02		
ctuators: xamples				
examples SAU-01/01				