

Eaton's ArrowHart
Self-test GFCI receptacles

Automatically self tests to ensure GFCI protection

ArrowHart



**Self-test
GFCI receptacle**
Screwless wallplate sold separately




**Hospital grade self-test
GFCI receptacle**
Screwless wallplate sold separately

EATON

Powering Business Worldwide

Tamper resistant self-test GFCI receptacles

GFCI receptacles are designed with safety in mind by providing electrical shock protection. While users are encouraged to manually test GFCIs monthly by using the TEST/RESET buttons, unfortunately this step is often overlooked. With monthly manual testing still needed, even when users forget. The new **Eaton self-test GFCI** will periodically perform an automatic electronic test for you that will render the device inoperable if no GFCI protection is present. Additionally, the red status indicator light will blink, notifying the user there is no power and the device must be reset or needs to be replaced.



Features & benefits

- Automatic grounding system eliminates need for bonding jumper in grounded metal enclosure
- Trip indicator light notifies user of a tripped condition
- Status Indicator light notifies user if device has rendered itself inoperable and requires replacement
- Easy-to-use horizontal test/reset button alignment for larger unobstructed area
- Tamper resistant receptacles resist the insertion of foreign objects

Tamper resistant self-test GFCI receptacles

Product description

2-Pole, 3-Wire Grounding; 15A, 125V/AC; 20A, 125V/AC

Self-test GFCI receptacle, hospital grade

Catalog No.	Description	Amps	Volts	Color Suffix
<input type="checkbox"/> TRSGFH15__	Hospital grade tamper resistant self-test GFCI	15	125	B, GY, LA, RD, V, W
<input type="checkbox"/> TRSGFH20__	Hospital grade tamper resistant self-test GFCI	20	125	B, GY, LA, RD, V, W

Self-test GFCI receptacle

Catalog No.	Description	Amps	Volts	Color Suffix
<input type="checkbox"/> TRSGF15__	Tamper resistant self-test GFCI	15	125	A, B, BK, GY, LA, V, W
<input type="checkbox"/> TRSGF20__	Tamper resistant self-test GFCI	20	125	A, B, BK, GY, LA, RD, V, W

Color Ordering Information

For ordering devices, include cat. no. followed by the color suffix: A (Almond), B (Brown), BK (Black), GY (Gray), LA (Lt. Almond), RD (Red), V (Ivory), W (White)

A	B	BK	GY	LA	RD	V	W
Almond	Brown	Black	Gray	Lt. Almond	Red	Ivory	White

Compliances, specifications and availability are subject to change without notice.



Electrical Sector
203 Cooper Circle
Peachtree City, GA 30269
United States
Eaton.com
Cooperwiringdevices.com

Electrical Sector
Canada Operations
5925 McLaughlin Road
Mississauga, Ontario, L5R 1B8
Canada
EatonCanada.ca
Cooperwiringdevices.com

Electrical Sector
Mexico Operations
Carr. Tlalnepantla -
Cuautitlán Km 178 s/n
Col. Villa Jardín esq.
Cerrada 8 de Mayo
Cuautitlán, Mexico CP 54800
México
Eaton.mx
Cooperwiringdevices.com



TRSGF15



TRSGF20



TRSGFH15



TRSGFH20